

Australian

Knitting

Yarn • Embellishments • Patterns

AUSTRALIA'S
FAVOURITE

29

EXCITING
PATTERNS

ALL THE
LATEST

Fashion ideas

KNITTING
IDEAS FOR
EVERYONE

WOODLANDS
PUBLISHING

A\$9.95 incl GST

US \$10.95 incl GST

US \$12.95/Can \$12.95

Vol 4 No 1

SUMMER/AUTUMN



EASY
STEP-BY-STEP
INSTRUCTIONS

100 PAGES OF TIPS, TECHNIQUES AND IDEAS

Contents

Issue Vol 4 No 1



Features

8 **Fashion – Trends**

32 **Novelty Wool And Yarn**

Aran knitwear takes its name from the Islands of Aran that rise up defiantly out of the Atlantic and are known for their long, cold winters and rugged landscape.

Patterns

12 **Tunic with Cable Braid –**
Cleckheaton

13 **Park Avenue – The Wool Inn**

14 **Picasso Shawl –**
Knitting Yarns by Mail

15 **Top with Eyelet Pattern –**
Naturally Yarns

16 **Crochet Bag – Pondo Yarns**

20 **Childs Jacket – Potons Yarns**

23 **Crochet Cot Blanket – Shepherd**

24 **Raglan Turtleneck –**
Naturally Yarns

26 **Child's Textured Cardigan –**
Shepherd Yarns

28 **Darling set – Texyarns International**

29 **Misti Shrug – The Wool Shop**

30 **Lace Stitch Pullover –**
Naturally Yarns

31 **Ruana in Riot – The Wool Shop**

32 **Beanie and Scarf – Naturally Yarns**



Business Directory – page 88



- 33 **Man's Textured Jumper** – Patons Yarns
- 38 **Ronda Scarf** – Wool Inn
- 39 **Cowl** – Patons Yarns
- 40 **Cable Sweater** – Naturally Yarns
- 41 **Fashion Garter Stitch Hat** – The Wool Inn
- 42 **Men's Retro Cardigan** – Naturally Yarns
- 46 **Watermelon Patch** – Naturally Yarns
- 48 **Knitted Sheep** – Alpaca Yarns
- 50 **Kids Cable Vest** – Naturally Yarns
- 53 **Pinafore Dress** – Biggan Design
- 58 **Instructions**

Regulars

- 3 From the Editor
- 4 Contents
- 6 News
- 44 Shopping Guide
- 88 Business Directory
- 90 Listings
- 92 Diagrams, Abbreviations
- 94 Book Store
- 98 Next Issue





Join with Cable Band — see page 56 for pattern instructions





Park Avenue Fur & Leather Inc.

Park Avenue—size range 12-18 for pattern instructions



Patterns



Picasso Shawl — see page 40 for pattern instructions



Top with Eyelet Pattern — see page 61 for pattern instructions





Crochet Bag — see page 64 for pattern instructions

Child's Jacket

By Patons Yarns

YARN

- 3, 4, 4, 5, 5, balls 100gm Patons London in colour 6047
- 5 (5, 5, 6, 6) buttons

NEEDLES AND TOOLS

- 4.00mm knitting needles
- 3.25mm knitting needles
- wool sewing needle
- cable needle
- 3 stitch-holders

MEASUREMENTS

Size: 2 4 6 8 10 years
To fit chest: 55 60 65 70 75cm
Finished fit: 65 70 75 80 85cm
Length: 38 42 46 50 54cm
Sleeve length: 23 28 33 38 41cm

SPECIAL ABBREVIATIONS

Cable = Slip next 3 sts onto cable needle and leave at back of work, K3, then K3 from cable needle.

TENSION

22 sts by 30 rows to 10cm over stocking st, using 4.00mm needles

WORKING PATTERN

BACK

Using 4.00mm needles, cast on 74 (78, 82, 90, 94) sts.

Beg Rib Band

Row 1: K2, * P2, K2, rep from * to end.

Row 2: P2, * K2, P2, rep from * to end.

Last 2 rows form rib.

Work a further 8 rows rib, inc 0 (2, 2, 0, 2) sts evenly across last row. 74 (80, 84, 90, 96) sts, 10 rows rib in all.

 Patons



Beg Border Pattern

Work 4 rows garter st (every row knit).
Work 4 rows stocking st, beg with a knit row.

Rep last 8 rows until Back measures approx 9 (10, 11, 12, 13) cm from beg, ending with 4 rows stocking st. Work 7 (7, 9, 9, 9) rows garter st.
Next Row: WS – K15 (17, 18, 19, 21), [inc in each of next 4 sts, K16 (17, 18, 20, 21)] twice, inc in each of next 4 sts, K15 (17, 18, 19, 21). 86 (92, 96, 102, 108) sts.

Beg Cable Pattern

Row 1: K14 (16, 17, 18, 20), [P2, K6, P2, K14 (15, 16, 18, 19)] twice, P2, K6, P2, K14 (16, 17, 18, 20).

Row 2: P14 (16, 17, 18, 20), [K2, P6, K2, P14 (15, 16, 18, 19)] twice, K2, P6, K2, P14 (16, 17, 18, 20).

Rep 1st and 2nd rows twice.

Row 7: K14 (16, 17, 18, 20), [P2, Cable, P2, K14 (15, 16, 18, 19)] twice, P2, Cable, P2, K14 (16, 17, 18, 20).

Row 8: As Row 2.

Rows 1 to 8 incl form patt.

Cont in patt until Back measures 24 (27, 30, 32, 34) cm from beg, working last row on wrong side.

Shape Raglan Armholes

Keeping patt correct, cast off 2 sts at beg of next 2 rows. 82 (88, 92, 98, 104) sts.

Row 1: K2, sl 1, K1, pssso, patt to last 4 sts, K2tog, K2.

Row 2: P2, P2tog, patt to last 4 sts, P2tog tbl, P2.

Row 3: As Row 1.

Row 4: P3, patt to last 3 sts, P3.

Rep last 4 rows 4 (4, 5, 5, 4) times. 52 (58, 56, 62, 74) sts.

Dec one st (as before) in next row, then in every foll alt row until 36 (38, 38, 38, 40) sts rem.

Work 1 row.

Shape Back Neck

Row 1: K2, sl 1, K1, pssso, K3, K2tog, turn.

Cont on these 7 sts for right side of back neck.

Row 2: Cast off 4 sts, purl to end. 3 sts.

Row 3: K1, sl 1, K1, pssso. 2 sts.

Row 4: P2.

Row 5: K2tog. Fasten off.

Slip next 18 (20, 20, 20, 22) sts onto stitch-holder and leave for neckband.

With right side facing, join yarn to rem 9 sts for left side of back neck and proceed as folls –

Row 1: Cast off 4 sts, K2tog, K2. 4 sts.

Row 2: P2, P2tog.

Row 3: K2tog, K1. 2 sts.

Row 4: P2.

Row 5: K2tog. Fasten off.

LEFT FRONT

Using 4.00mm needles, cast on 38 (38, 42, 46, 46) sts.

Beg Rib Band

Work 10 rows rib as for Back, dec 4 (1, 3, 4, 1) sts evenly across last row. 34 (37, 39, 42, 45) sts.

Beg Border Pattern

Work 4 rows garter st (every row knit).

Work 4 rows stocking st, beg with a knit row.

Rep last 8 rows until Left Front measures approx 9 (10, 11, 12, 13) cm from beg, ending with 4 rows stocking st.

Work 7 (7, 9, 9, 9) rows garter st. **

Next Row: WS – K15 (17, 18, 19, 21), inc in each of next 4 sts, knit to end. 38 (41, 43, 46, 49) sts.

Beg Cable Pattern

Row 1: K14 (16, 17, 18, 20), P2, K6, P2, knit to end.

Row 2: P14 (15, 16, 18, 19), K2, P6, K2, purl to end.

Rep 1st and 2nd rows twice.

Row 7: K14 (16, 17, 18, 20), P2, Cable, P2, knit to end.

Row 8: As Row 2.

Rows 1 to 8 incl form patt.

Cont in patt until Left Front measures same as Back to beg of armholes, working last row on wrong side.

Shape Raglan Armhole

Keeping patt correct, cast off 2 sts at beg of next row. 36 (39, 41, 44, 47) sts.

Row 1: Patt to last 3 sts, P3.

Row 2: K2, sl 1, K1, pssso, patt to end.

Row 3: Patt to last 4 sts, P2tog tbl, P2.

Row 4: As Row 2.

Rep last 4 rows 4 (4, 5, 5, 4) times.

21 (24, 23, 26, 32) sts.

Dec one st (as before) in every foll alt row until 19 (20, 21, 21, 24) sts rem.

Shape Neck

Row 1: WS – Cast off 4 sts, patt to last 3 sts, P3. 15 (16, 17, 17, 20) sts.

Dec one st (as before) at armhole edge in next row, then in every foll alt row 5 (5, 6, 6, 8) times, AT

SAME TIME dec one st at neck edge in next row, then in every foll alt row 2 (4, 3, 3, 3) times, then in every

foll 4th row 1 (0, 1, 1, 2) times. 5 sts.

Next Row: Purl.

Next Row: K2, sl 1, K2tog, pssso. 3 sts.

Next Row: P3.

Next Row: K1, sl 1, K1, pssso. 2 sts.

Next Row: P2.

Next Row: K2tog. Fasten off.

RIGHT FRONT

Work as for Left Front to **.

Next Row: WS – K15 (16, 17, 19, 20), inc in each of next 4 sts, knit to end. 38 (41, 43, 46, 49) sts.

Beg Cable Pattern

Row 1: K14 (15, 16, 18, 19), P2, K6, P2, knit to end.

Row 2: P14 (16, 17, 18, 20), K2, P6, K2, purl to end.

Rep Rows 1 and 2 twice.

Row 7: K14 (15, 16, 18, 19), P2, Cable, P2, knit to end.

Row 8: As row 2.

Rows 1 to 8 incl form patt.

Cont in patt until Right Front measures same as Back to beg of armholes, working last row on wrong side.

Work 1 row.

Shape Raglan Armhole

Keeping patt correct, cast off 2 sts at beg of next row. 36 (39, 41, 44, 47) sts.

Row 1: Patt to last 4 sts, K2tog, K2.

Row 2: P2, P2tog, patt to end.

Row 3: As Row 1.

Row 4: Patt to last 3 sts, P3.



Next Row: K2tog, K1, 2 sts.

Next Row: P2.

Next Row: K2tog. Fasten off.

SLEEVES

Using 3.25mm needles, cast on 42 (42, 42, 46, 46) sts.

Work 12 rows rib as for lower band of Back.

Change to 4.00mm needles.

Work 2 rows stocking st.

Row 3: K2, M1, knit to last 2 sts, M1, K2. 44 (44, 44, 48, 48) sts. Cont in stocking st, inc one st (as before) at each end of every foll 6th (8th, 8th, 12th, 12th) row until there are 46 (54, 50, 58, 62) sts, then in every foll 8th (10th, 10th, 14th, 14th) row until there are 56 (58, 60, 62, 64) sts.

Cont without shaping until Sleeve measures 23 (28, 33, 38, 41) cm from beg, ending with a purl row.

Shape Raglan

Cast off 2 sts at beg of next 2 rows.

52 (54, 56, 58, 60) sts.

Sizes 4, 6, 8 and 10 only

Row 3: K2, sl 1, K1, pssso, knit to last 4 sts, K2tog, K2.

Work 3 rows.

Rep last 4 rows (1, 1, 4, 6) times. (50, 52, 48, 46) sts.

All sizes: 52 (50, 52, 48, 46) sts.

Next Row: K2, sl 1, K1, pssso, knit to last 4 sts, K2tog, K2.

Next Row: Purl.

Rep last 2 rows until 12 (14, 14, 16, 16) sts rem, ending with a purl row.

Leave rem sts on a stitch-holder.

NECKBAND

Join raglan seams, noting that tops of sleeves form part of neckline. With RS facing and using 3.25mm needles, knit up 18 (18, 20, 20, 22) sts evenly along right front neck to front raglan seam, knit across sts from right sleeve stitch-holder as folls – K2tog, K8 (10, 10, 12, 12), sl 1, K1, pssso, knit up 5 sts evenly along right side

of back neck, knit across sts from back stitch-holder – dec 0 (2, 2, 2, 0) sts evenly across, knit up 5 sts evenly along left back neck to back raglan seam, knit across sts from left sleeve stitch-holder as folls – K2tog, K8 (10, 10, 12, 12), sl 1, K1, pssso, then knit up 18 (18, 20, 20, 22) sts evenly along left front neck. 84 (88, 92, 96, 104) sts.

Row 1: P3, * K2, P2, rep from * to last st, P1.

Row 2: K3, * P2, K2, rep from * to last st, K1.

Rep Rows 1 and 2, 4 times, then Row 1 once. 11 rows rib in all.

Cast off loosely in rib.

RIGHT FRONT BAND

With right side facing and using 3.25mm needles, knit up 92 (100, 108, 120, 132) sts evenly along right front edge, incl side edge of neckband.

Row 1: P3, * K2, P2, rep from * to last st, P1.

Row 2: K3, * P2, K2, rep from * to last st, K1.

Rep Rows 1 and 2 once, then Row 1 once.

Row 6: Rib 5 (5, 5, 4, 5), * cast off 2 sts, rib 18 (20, 22, 20, 22), rep from * 3 (3, 3, 4, 4) times, cast off 2 sts, rib to end.

Row 7: Rib 5 (5, 5, 4, 5), * turn, cast on 2 sts, turn, rib 18 (20, 22, 20, 22), rep from * 3 (3, 3, 4, 4) times, turn, cast on 2 sts, turn, rib to end.

5 (5, 5, 6, 6) buttonholes.

Work 6 rows rib.

Cast off loosely in rib.

LEFT FRONT BAND

Work to correspond to Right Front Band, omitting buttonholes.

TO MAKE UP

Do not press. Join side and sleeve seams. Sew on buttons.

Patons

Ph: 1800 337 032

www.patonsyarns.com.au

Child's Jacket continued ...

Rep last 4 rows 4 (4, 5, 5, 4) times.

21 (24, 23, 26, 32) sts.

Dec one st (as before) in next row, then in every foll alt row 0 (2, 0, 3, 6) times. 20 (21, 22, 22, 25) sts.

Work 1 row.

Shape Neck

Row 1: RS – Cast off 4 sts, patt to last 4 sts, K2tog, K2. 15 (16, 17, 17, 20) sts.

Dec one st (as before) at armhole edge in every foll alt row 6 (6, 7, 7, 9) times, AT SAME TIME dec one st at neck edge in every foll alt row 3 (5, 4, 4, 4) times, then in every foll 4th row 1 (0, 1, 1, 2) times. 5 sts.

Next Row: Purl.

Next Row: K3tog, K2. 3 sts.

Next Row: P3.

Crochet Cot Blanket

By Shepherd Yarns

YARN

- 16 bolls 50gm Shepherd Colour 4 Me
8 ply in colour 4988

NEEDLES AND TOOLS

- 4.00mm crochet hook
- wool sewing needle

MEASUREMENTS

Width (approx): 80cm
Length (approx): 122cm

TENSION

13tr by 10 rows to 10cm over pott,
using 4.00mm hook

WORKING PATTERN

Using 4.00mm hook, make 106ch
loosely.

Row 1: Miss 3ch (counts as 1tr), 1tr
in each ch to end. 104tr.

Row 2: 3ch (counts as 1tr), miss
first tr, * 1tr in sp before next tr,

rep from * to end.

Last row forms patt.

Cont in patt until Blanket measures
122cm from beg. Fasten off.

MAKING UP

Sew in ends.

Shepherd Yarns

Ph: 1800 337 032

www.shepherd yarns.com.au



Raglan Turtleneck

Design by Sandi Prosser for Naturally Yarns

YARN

- 4, 5, 5, 6 balls 50gm Loyal Prints DK 8ply in shade #990
- 8 buttons

NEEDLES AND TOOLS

- 4mm knitting needles
- cable needle
- stitch holders and markers

MEASUREMENTS

To fit approx: 2, 4, 6, 8 years
Finished fit: 63.5, 68.5, 73.5, 79cm
Length of Back: 33, 35.5, 38, 41cm

SPECIAL ABBREVIATIONS

Rev Stst – Reverse Stocking Stitch = P on RS rows, K on WS rows;

slp – slip next st, k1, pass the slip st over k

tbl – through the back of loop;

M1 – make 1 st by picking up running thread from front to back and k it through the back loop;

M1P – make 1 st by picking up running thread from front to back and p it through the back loop;

MB (make bobble) ([k1, yo] twice, k1) into one stitch, turn and k5, turn and p5, turn and k5, turn and sl 2, k3tog, pssso.

C6F – Slip 3 sts to cable needle and hold to front, k3; k3 from cable needle.
C6B – Slip 3 sts to cable needle and hold to back, k3; k3 from cable needle.

TENSION

22 sts by 30 rows over Stst on 4mm needles to 10cm

GETTING STARTED

Cable Panel (worked over 14 sts)

****Rows 1, 3, 7 & 9:** K.

Row 2 & all other WS rows: P.

Row 5: C6F, k3, MB, k4.

Row 11: K4, MB, k3, C6B.

Row 12:

P.**
Rep from ** to ** throughout for Cable Panel.

WORKING PATTERN BACK

Cast on 66 (70, 78, 82) sts.

Row 1: RS – P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Work further 3 rows in p2, k2 rib, end with a WS row.

Next Row: WS – Rib, dec 3 (1, 3, 1) sts evenly across row. 63 (69, 75, 81) sts.

Starting with a p (RS) row, work straight in Rev Stst until piece measures 20.5 (21.5, 23, 24) cm from beg, end with a WS row. Place markers at each end of last row worked.

Shape Raglan

Next Row: RS – K1, p2tog, p to last 3 sts, p2togtbl, k1.

Next Row: K.

Rep last 2 rows to 25 (27, 29, 31) sts. Leave sts on holder.

FRONT

Cast on 66 (70, 78, 82) sts.

Row 1: RS – P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Work further 4 rows in p2, k2 rib, end with a WS row.

Sizes 2 and 6 only

Next Row: foundation row RS – P26 (32), k14, p26 (32).

Sizes 4 and 8 only

Next Row: foundation inc row RS – P29 (35), k4, M1, k4, M1, k4, p29 (35). 72 (84) sts.

All Sizes

Next Row: WS – K26 (29, 32, 35), work row 2 of Cable Panel, k26 (29, 32, 35).

Cont as now established, working Cable Panel over centre 14 sts, until piece measures 20.5 (21.5, 23, 24) cm from beg, end with a WS row. Place markers at each end of last row worked.

Shape Raglan

Next Row: RS – K1, p2tog, patt to last 3 sts, p2togtbl, k1.

Work 1 row even.

Rep last 2 rows to 36 (38, 40, 42) sts, end with a WS row.

Shape Neck

Next Row: RS – K1, p2tog, p6, p2tog, turn, on these 9 sts only. Leave rem sts on hold.

Next Row: WS – K2togtbl, work to end.

Dec 1 st at neck edge next 3 rows AND AT SAME TIME at raglan edge every RS row 3 times, end with a WS row – 2 sts.

Next Row: RS – P2tog.

Fasten off.

With RS facing, return to sts on hold, rejoin yarn, patt next 14 (16, 18, 20) sts and slip these to holder for centre front neck, work 2nd half to match, reversing shaping.

SLEEVES

Cast on 48 (52, 56, 60) sts.

Next Row: RS – P.

Next Row: K.

Next Row: RS – K1, p2tog, p to last 3 sts, p2togtbl, k1.

Next Row: K.

Rep last 4 rows 1 (1, 2, 2) times more. 44 (48, 50, 54) sts.

Next Row: RS – K1, p2tog, p to last 3 sts, p2togtbl, k1.

Next Row: K.

Rep last 2 rows to 14 (14, 16, 16) sts. Leave sts on holder.

MAKING UP

Match cast-on edge of sleeve to markers at raglan shaping on front/back.

Sew raglan sleeve seams from markers to neck, leaving right back raglan seam open.

TURTLENECK

With RS facing, p25 (27, 29, 31) sts from back neck holder dec 1 st at centre, p14 (14, 16, 16) sts from left sleeve holder, pick up and p9 down left front neck edge, p14 (16, 18, 20) sts from front neck holder dec 2 sts evenly across, pick up and p9 up right front neck edge, p14 (14, 16, 16) sts from right sleeve holder. 82 (86, 94, 98) sts.

Row 1: WS – K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

Cont in rib until turtleneck measures 11.5cm, end with a RS row.

Cast off loosely in rib.

Sew right back raglan seam and neckband seam, reversing seam for turnback.

LEFT SIDE AND SLEEVE EDGING

With RS facing, beg at left front cast-on edge, pick up and k49 (53, 57, 61) sts along left front side edge to raglan seam, pick up and k48 (52, 56, 60) sts from left sleeve cast-on edge, pick up and k49 (53, 57, 61) sts along left back side edge to cast on. 146 (158, 170, 182) sts.

Row 1: WS – K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

Row 3: buttonhole row – Rib 101 (110, 119, 125), (rib 2 tog, yo, rib 11 (12, 13, 15)) 3 times, rib 2 tog, yo, rib 4.

Work further 3 rows in k2, p2 rib. Cast off loosely in rib.

RIGHT SIDE AND SLEEVE EDGING

With RS facing, beg at right back cast-on edge, pick up and k49 (53, 57, 61) sts along right back side edge to raglan seam, pick up and k48 (52, 56, 60) sts from right sleeve cast-on edge, pick up and k49 (53, 57, 61) sts along right front side edge to cast on. 146 (158, 170, 182) sts.

Row 1: WS – K2, *p2, k2; rep from * to end.

Row 2: P2, *k2, p2; rep from * to end.

Row 3: buttonhole row – Rib 4, (yo, rib 2 tog, rib 11 (12, 13, 14)) 3 times, yo, rib 2 tog, rib 2 tog, rib to end of row.

Work further 3 rows in k2, p2 rib. Cast off loosely in rib.

Sew buttons to back side edgings opposite buttonholes.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturalllyarns.nz



Child's Textured Cardigan

By Shepherd Baby yarn



YARN

- 4, 5, 6, 7, 8 balls 50gm Shepherd Baby wool Merino 4ply moin colour 2957
- 2, 2, 2, 2, 3 balls 50gm Shepherd Baby wool Merino 4ply contrast colour 4969
- 5 buttons

NEEDLES AND TOOLS

- 3.25mm knitting needles
- stitch-holder
- wool sewing needle

MEASUREMENTS

Size: 2, 4, 6, 8, 10years

To fit: 55, 60, 65, 70, 75cm

Finished fit: 65, 70, 75, 80, 85cm

Length: 38, 43, 46, 60, 54cm

Sleeve length: 23, 29, 33, 38, 40cm

TENSION

32 sts by 44 rows over pott, using 3.25mm needles to 10cm

WORKING PATTERN

BACK

Using 3.25mm needles and M, cast on 104 (116, 122, 128, 140) sts.

Beg Pattern

Row 1: Using Main colour K3, P2, * K4, P2, rep from * to last 3 sts, K3.

Row 2: P3, K2, * P4, K2, rep from * to last 3 sts, P3.

Rep last 2 rows twice.

Row 7: Using Contrast colour, P3, K2, * P4, K2, rep from * to last 3 sts, P3.

Row 8: K3, P2, * K4, P2, rep from * to last 3 sts, K3.

Rows 1 to 8 incl form patt.

Cont in patt until Back measures

25 (29, 31, 33, 36) cm from beg, working last row on wrong side.

Tie a coloured thread at each end of last row to mark beg of armholes as there is no armhole shaping.

Work 58 (62, 66, 74, 80) rows.



Shape Shoulders

Keeping patt correct, cast off 9 (11, 11, 12, 13) sts at beg of next 6 rows, then 11 (10, 12, 12, 14) sts at beg of foll 2 rows.

Leave rem 28 (30, 32, 32, 34) sts on stitch-holder.

LEFT FRONT

Using 3.25mm needles and M, cast on 52 (58, 58, 64, 70) sts.

Bag Pattern

Row 1: Using Main, K3, * P2, K4, rep from * to last st, P1.

Row 2: K1, * P4, K2, rep from * to last 3 sts, P3.

Rep last 2 rows twice.

Row 7: Using Contrast colour - P3, * K2, P4, rep from * to last st, K1.

Row 8: P1, * K4, P2, rep from * to last 3 sts, K3.

Rows 1 to 8 incl form patt.

Cont in patt until Left Front measures same as Back to coloured threads, working last row on wrong side.

Tie a coloured thread at end of last row to mark armhole.

Work 14 (14, 14, 16, 18) rows.

Shape Front Slope

Keeping patt correct, dec one st at end (neck edge) of next row, then in every foll alt row until 46 (52, 56, 61, 67) sts rem, then in every foll 4th row until 38 (43, 45, 48, 53) sts rem.

Work 1 (1, 5, 1, 1) rows.

Shape Shoulder

Cast off 9 (11, 11, 12, 13) sts at beg of next row, then in every foll alt row twice.

Work 1 row.

Cast off rem 11 (10, 12, 12, 14) sts.

RIGHT FRONT

Using 3.25mm needles and M, cast on 52 (58, 58, 64, 70) sts.

Bag Pattern

Row 1: Using Main - P1, * K4, P2, rep from * to last 3 sts, K3.

Row 2: P3, * K2, P4, rep from * to last st, K1.

Rep last 2 rows twice.

Row 7: Using Contrast colour K1, * P4, K2, rep from * to last 3 sts, P3.

Row 8: K3, * P2, K4, rep from * to last st, P1.

Rows 1 to 8 incl form patt.

Cont in patt until Right Front measures same as Back to coloured threads, working last row on wrong side.

Tie a coloured thread at beg of last row to mark armhole.

Work 14 (14, 14, 16, 18) rows.

Shape Front Slope

Keeping patt correct, dec one st at beg (neck edge) of next row, then in every foll alt row until 46 (52, 56, 61, 67) sts rem, then in every foll 4th row until 38 (43, 45, 48, 53) sts rem.

Work 2 (2, 6, 2, 2) rows.

Shape Shoulder

Keeping patt correct, cast off 9 (11, 11, 12, 13) sts at beg of next row, then in every foll alt row twice.

Work 1 row.

Cast off rem 11 (10, 12, 12, 14) sts.

SLEEVES

Using 3.25mm needles and M, cast on 50 (56, 56, 62, 62) sts.

Bag Pattern

Work 8 rows patt as given for Back.

Cont in patt and working increased sts into patt, inc one st at each end of next row, then in every foll 4th (6th, 6th, 6th, 6th) row until there are 58 (64, 74, 90, 104) sts, then in every foll 6th (8th, 8th, 8th, 8th) row until there are 82 (86, 92, 106, 112) sts. Cont without further shaping until Sleeve measures 23 (29, 33, 38, 40) cm from beg, working last row on wrong side.

Shape Top

Keeping patt correct, cast off 8 (9, 9, 11, 12) sts at beg of next 6 rows, then 9 (8, 10, 11, 11) sts at beg of foll 2 rows.

Cast off rem 16 (16, 18, 18, 18) sts.

RIGHT FRONT BAND

Join shoulder seams. With right side facing, using 3.25mm needles and M, and beg at lower edge of Right Front, knit up 80 (88, 98, 106, 114) sts evenly along Right Front edge to beg of front slope shaping, knit up 45 (48,

50, 55, 59) sts evenly along right front slope shaping to shoulder, knit across first 14 (15, 16, 16, 17) sts on back stitch-holder - dec 0 (0, 1, 2, 3) sts evenly across. 139 (151, 163, 175, 187) sts. **Note:** If making for Boy, omit buttonholes.

Row 1: WS - * P2, K2, rep from * to last 3 sts, P3.

Row 2: K3, * P2, K2, rep from * to end.

Rep 1st and 2nd rows once.

Row 5: Rib to last 77 (85, 97, 105, 113) sts, rib 2tog, yrn (buttonhole), * rib 16 (18, 21, 23, 25), rib 2tog, yrn, rep from * 3 times, rib 3. 5 buttonholes.

Work 2 (2, 4, 6, 6) rows rib. 7 (7, 9, 11, 11) rows rib in all.

Cast off loosely in rib.

LEFT FRONT BAND

With right side facing, using 3.25mm needles and M, and beg at centre back neck, knit across rem 14 (15, 16, 16, 17) sts on back stitch-holder to shoulder seam - dec 0 (0, 1, 2, 3) sts evenly across, knit up 45 (48, 50, 55, 59) sts evenly along left front slope shaping, then knit up 80 (88, 98, 106, 114) sts evenly along Left Front edge to lower edge. 139 (151, 163, 175, 187) sts. **Note:** If making for Girl omit buttonholes.

Row 1: WS - P3, * K2, P2, rep from * to end.

Row 2: * K2, P2, rep from * to last 3 sts, K3.

Rep last 2 rows once.

Row 5: P3, rib 2tog, yrn, * rib 16 (18, 21, 23, 25), rib 2tog, yrn, rep from * 3 times, rib to end. 5 buttonholes.

Work 2 (2, 4, 6, 6) rows rib. 7 (7, 9, 11, 11) rows rib in all.

Cast off loosely in rib.

MAKING UP

Do not press. Placing centre of sleeve to shoulder seam, sew in sleeves evenly between coloured threads. Join side and sleeve seams, matching patt. Join Front Bands at centre back neck. Sew on buttons.

Shepherd Yarns

Ph: 1800 337 032

www.shepherd yarns.com.au



Darling Set—see page 66 for pattern instructions



Windy Shrug – see page 68 for pattern instructions





Lace Stitch Pullover — see page 67 for pattern instructions



Ravelry

see page 71 for pattern instructions





Beanie and Scarf — see page 72 for pattern instructions



Men's Textured Jumper — see page 74 for pattern instructions





Phyllis K. Sells — see page 76 for pattern instructions



Enchanted — see page 78 for pattern instructions





Cable Sweater — see page 79 for pattern instructions



Fashion Garter Stitch Hat — see page 81 for pattern instructions





Men's Retro Cardigan — see page 82 for pattern instructions



Quilting *Shawl* — see page 85 for pattern instructions



Watermelon Patch

Designed by Sandi Prosser
for Filatura Di Croso

YARN

3, 3, 3, 4 balls 50gm Filatura Di Croso
Dolce Amore 100% Cotton in shade
#43 (MC)
2, 2, 3, 3 balls in shade #48 (A)
1 button
2.5cm wide elastic of required length
for poms

NEEDLES AND TOOLS

2.75mm knitting needles
3.25mm knitting needles
stitch holders

MEASUREMENTS

Size To fit: 0-3, 3-6, 6-12, 18months
Finished Chest: 48.5, 52, 56.5, 61cm
Gorment length: 25.5, 29.5, 35, 39cm
Sleeve length: 2.5cm
Poms Inseam: 19, 21.5, 24, 25.5cm
Poms Hip: 46, 51, 53.5, 56cm

SPECIAL ABBREVIATIONS

M1 – make 1 stitch – pick up running
thread from front to back, k it through
the back loop.

TENSION

28 sts and 36 rows over Stst to 10cm
on 3.25mm needles.

WORKING PATTERN

BACK

With 2.75mm needles and MC, cast on
132 (144, 156, 168) sts.
Garter Stitch (knit every row) 5 rows,
end with a WS row.
Change to 3.25mm needles.
Starting with a knit (RS) row, Stocking
st straight until piece measures 14
(16.5, 20.5, 23)cm from beg, end
with a WS row.



Next Row: RS - K1, *k2tog; rep from * to last st, k1. 67 (73, 79, 85) sts. Cast off all sts.

Bodice Back

With 3.25mm needles, RS facing and MC, pick up and k67 (73, 79, 85) sts along cast off edge. Starting with a purl (WS) row, Stocking st until piece measures 2.5 (2.5, 3.5, 4)cm from pick up row, end with a WS row.

Shape Armholes

Cast off 3 (4, 4, 5) sts at beg of next 2 rows.

Dec 1 st at each end of next 3 rows, then every RS row to 49 (53, 59, 63) sts.**

Work straight until piece measures 6.5 (8, 9, 11)cm from pick up row, end with a WS row.

Divide for Neck Opening

Next Row: RS - K26 (28, 31, 33), turn, on these sts only.

Row 1: K3, purl to end.

Row 2: Knit.

Rep these 2 rows until piece measures 10 (11.5, 13.5, 14.5)cm from pick up row, end with a WS row.

Next Row: buttonhole RS - K to last 2 sts, yo, k2tog.

Work straight in patt until piece measures 11.5 (13, 14.5, 16)cm from pick up row, end with a WS row. Cast off 11 (12, 14, 15) sts for shoulder.

Leave rem 15 (16, 17, 18) sts on holder for back neck.

With RS facing, return to sts on hold, cast on 3 sts, rejoin yarn to sts on hold, k to end. 26 (28, 31, 33) sts.

Row 1: P to last 3 sts, k3.

Row 2: Knit.

Rep these 2 rows until piece measures 11.5 (13, 15, 15)cm from pick up row, end with a RS row.

Next Row: WS - Cast off 11 (12, 14, 15) sts for shoulder, p rem 15 (16, 17, 18) sts and slip these to holder for back neck.

FRONT

Work as for back to **.

Work straight until piece measures 7 (8, 9.5, 9.5)cm from pick up row, end with a WS row.

Shape Neck

Next Row: RS - K18 (19, 22, 23) sts, turn, on these sts only.

Dec 1 st at neck edge next 4 rows, then every RS row to 11 (12, 14, 15) sts.

Work straight until front measures same as back to shoulder, end with a WS row.

Cast off rem 11 (12, 14, 15) sts for shoulder.

With RS facing, return to sts on hold, rejoin yarn, k across next 13 (15, 15, 17) sts and slip these to holder for centre front neck, work 2nd half to match, reversing shapings.

SLEEVES

With 3.25mm needles and MC, cast on 44 (48, 50, 54) sts.

Garter Stitch 3 rows.

Next Row: RS - K, inc 15 sts evenly across row. 59 (63, 65, 69) sts.

Work straight until sleeve measures 2.5cm from beg, end with a WS row.

Shape Top

Cast off 3 (4, 4, 5) sts at beg next 2 rows.

Dec 1 st at each end of next 3 rows, every RS to 37 sts, every row 5 times. 27 sts.

Next Row: RS - K1, [k2tog] 13 times. Cast off rem 14 sts.

MAKING UP

Join shoulder seams. Sew cast on edge of left back opening in place behind right back opening.

COLLAR

Right Half

With 2.75mm needles, WSF and A, k the 15 (16, 17, 18) right back holder sts, pick up and k15 (17, 19, 19) sts evenly along right front neck edge, k the first 6 (7, 7, 8) sts of front neck

holder, k the center st of front holder. 37 (41, 44, 46) sts.

Garter Stitch 3 rows.

Next Row: RS - KO (0, 0, 1), *k4, M1; rep from * to last 5 (5, 4, 5) sts, k5 (5, 4, 5) - 45 (50, 54, 56) sts. Garter Stitch 9 rows.

Next Row: KO (0, 0, 1), *k5, M1; rep from * to last 10 (10, 9, 10) sts, k7 (7, 6, 7), k2tog, k1 - 51 (57, 62, 64) sts.

Next Row: Knit.

Next Row: K to last 3 sts, k2tog, k1. Rep last 2 rows 3 times more. 47 (53, 58, 60) sts.

Cast off all sts knitways.

Left Half

With 2.75mm needles, WSF and A, work into the back of centre st of front holder, k the rem 6 (7, 7, 8) sts of front holder, pick up and k15 (17, 19, 19) sts evenly along left front neck edge to shoulder, k the 15 (16, 17, 18) left back holder sts - 37 (41, 44, 46) sts.

Work to match right half of collar, reversing shapings.

Sew button to left back neck edge opposite buttonhole.

Insert sleeve tops, join side and sleeve seams.

PANTS

Right Leg

**With 2.75mm needles and A, cast on 56 (58, 62, 62) sts.

Garter Stitch 5 rows, end with a WS row.

Change to 3.25mm needles.

Starting with a k row, work in Stocking st, inc 1 st at each end of 3rd (5th, 5th, 5th) and every following 6th (5th, 5th, 5th) row to 74 (80, 86, 90) sts. Work straight until piece measures 19 (21.5, 24, 25.5)cm from beg, end with a WS row.

Place markers at each end of last row.

Shape Crotch

Cast off 2 (2, 3, 3) sts at beg next 2 rows. ▶

◀ Watermelon Patch continued ...

Next Row: RS - K1, k2tog, knit to last 3 sts, skp, k1.

Work 1 row even.

Rep last 2 rows to 64 (70, 74, 76) sts.**

Work straight until piece measures 14 (15, 17, 18.5)cm from markers, end with a RS row.

Back Shaping

Row 1: WS - P18, turn.

Row 2 and all RS rows: Sl 1, k to end.

Row 3: P24, turn.

Row 5: P30, turn.

Row 7: P36, turn.

Row 9: P across all sts.

Work straight for 7 rows.

Next Row: foldline WS - K.

Change to 2.75mm needles.

Starting with a knit row, Stst 9 rows.

Cast off all sts.

Left Leg

Work from ** to ** as given for Right Leg.

Work straight until piece measures 14 (15, 17, 18.5)cm from markers, end with a WS row.

Back Shaping

Row 1: RS - K18, turn.

Row 2 and all RS rows: Sl 1, p to end of row.

Row 3: K24, turn.

Row 5: K30, turn.

Row 7: K36, turn.

Row 9: K across all sts.

Work straight for 6 rows.

Next Row: foldline WS - K.

Change to 2.75mm needles.

Starting with a knit row, Stst 9 rows.

Cast off all sts.

MAKING UP

Join inseams from cast on edge to markers. Join crotch seam.

Fold waistband to inside along fold lines and slip st in place, leaving an opening at centre back to insert elastic.

Cut elastic to waist measurement and thread through waistband. Sew ends of elastic together securely.

Slip st opening closed.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.NaturallyYarnsNZ.com

Knitted Sheep



By Inca Spun Alpaca Boucle

YARN

2 balls 50gm Inca Spun Alpaca Boucle
MC - White

2 balls 50gm Inca Spun Alpaca Boucle
CC - Black
polyfil stuffing
embroidery floss optional for face

NEEDLES AND TOOLS

5.5mm knitting needle
5.5mm double points
stitch marker

MEASUREMENTS

28cm tall, 20cm long

TENSION

16sts over stocking st on 5.5mm
knitting needles to 10cm

WORKING PATTERN

BODY

Working from the tail end forward,
with MC and straight needles, cast on
16 sts.

Row 1 and all RS Rows: Purl

Row 2: kf&b, k1, *(kf&b) 2x, k3; rep from * once more, (kf&b) 2x, k1, kf&b. 24 sts.

Row 4: kf&b, k3, *(kf&b) 2x, k5; rep from * once more, (kf&b) 2x, k3, kf&b. 32 sts.

Row 6: kf&b, k5, *(kf&b) 2x, k7; rep from * once more, (kf&b) 2x, k5, kf&b. 40 sts.

Row 8: kf&b, k7, *(kf&b) 2x, k9; rep from * once more (kf&b) 2x, k7, kf&b, 48 sts.

Work even in reverse st st until body measures 15.5cm total, ending with a purl row.

Row 1: WS - ssk, k7, *k2tog, ssk, k9; rep from * once more, k2 tog, ssk, k7, k2tog. 40 sts.

Row 2 and all RS Rows: Purl

Row 3: ssk, k5, *k2tog, ssk, k7; rep from * once more, k2tog, ssk, k5, k2tog. 32 sts.

Row 5: ssk, k3, *k2tog, ssk, k5; rep from * once more, k2tog, ssk, k3, k2tog. 24 sts.

Row 7: ssk, k1, *k2tog, ssk, k3; rep from * once more, k2tog, ssk, k1, k2tog.

Bind off remaining 16 sts. Stuff and sew bottom seam of body.

NECK

With MC and double points, cast on 24 sts. Join in the round. Work in reverse st for 3cm. Bind off all sts. Sew the circle to the body.

FEET MAKE 4

Starting at top of foot.

With MC and double points, cast on 12 sts. Join in the round, being careful not to twist. Place stitch marker at beginning of round. Knit 3 rounds.

Increase Round 1: *k3, kf&b; rep from * 15 sts. Knit 3 rounds.

Increase Round 1: *k4, KF&b; rep from * 18 sts. Knit 3 rounds.

Increase Round 1: *k5, kf&b; rep from * 21 sts. Knit 3 rounds.

Increase Round 1: *k6, kf&b; rep from * 24 sts. Knit 3 rounds.



Increase Round 1: *k7, kf&b; rep from * 27 sts. Switch to CC and work for 2.5cm in st st.

Decrease Round 1: *k2, k2tog; rep from *

Every other Round: Knit

Decrease Round 2: *k1, k2tog; rep from *

Decrease Round 3: *k2tog; rep from *

Decrease Round 4: k1, *k2tog; rep from *

Cut yarn. Draw through remaining sts and fasten off.

Turn leg inside out so that the purl side is facing the outside. Stuff legs and sew cast on edge shut.

Attach each leg to body, leaving a 5cm gap between the front and the back legs, and a 10cm gap (measuring across the belly) separating the left and right legs.

HEAD MAKE 2

Starting with forehead.

With CC and straight needles, cast on 12 sts.

Work in reverse st st for 3 rows, starting with a purl row.

Row 2: WS - kf&b, knit to last st, kf&b. Repeat last 4 rows until there are 20 sts.

Work 3 rows even.

Decrease Row 1: WS - ssk, k6, k2tog, ssk, k6, k2tog.

Work 3 rows in reverse st st.

Decrease Row 2: ssk, k4, k2tog, ssk, k4, k2tog.

Work 3 rows in reverse st st.

Decrease Row 3: ssk, k2, k2tog, ssk, k2, k2tog.

Work 3 rows in reverse st st.

Decrease Row 4: ssk, k2tog, ssk, k2tog.

Work 3 rows in reverse st st.

Decrease Row 5: ssk, k2tog.

Next Row: p2tog.

MAKING UP

Cut yarn. Draw through remaining stitch. Fasten off. Stuff and sew both pieces together. Stuff neck piece and attach the head to the neck. Embroider eyes and a mouth onto the head if desired.

Alpaca Yarns
www.alpacayarn.co.nz

Kids Cable Vest

Design by Sandi Prosser for Naturally Yarns



YARN

3, 3, 4, 4 balls 50gm Loyal Prints DK
8ply in shade #991
waste yarn in contrasting colour for
provisional cast-on
2 buttons

NEEDLES AND TOOLS

3.75mm knitting needles
4mm knitting needles
3.75mm circular needle 80cm long
4mm crochet hook
cable needle
stitch holders

MEASUREMENTS

To fit: 2, 4, 6, 8 years
Finished fit: 58, 64, 69, 73cm
Length Back: 29, 32, 34, 38cm

SPECIAL ABBREVIATIONS

Rev Stst – Reverse Stacking Stitch = P
on RS rows, K on WS rows;
skp – slip next st, k1, pass the slip st
over k st;
tbl – through the back of loop;
M1 – make 1 st by picking up running
thread from front to back and k it
through the back loop;
M1P – make 1 st by picking up running
thread from front to back and p it
through the back loop;
C6F – Slip 3 sts to cable needle and
hold to front, k3; k3 from cable needle.
C6B – Slip 3 sts to cable needle and
hold to back, k3; k3 from cable needle.

TENSION

22 sts by 30 rows over Stst on 4mm
needles to 10cm

GETTING STARTED

Cable Panel 1 (worked over 6 sts)

****Rows 1, 5 & 7: K.**

Row 2 & all other WS rows: P.

Row 3: C6B.

Row 8: P**

Rep from ** to ** throughout for Cable Panel 1.

Cable Panel 2 (worked over 6 sts)

****Rows 1, 5 & 7: K.**

Row 2 & all other WS rows: P.

Row 3: C6F.

Row 8: P**

Rep from ** to ** throughout for Cable Panel 2.

PROVISIONAL CAST-ON: With crochet hook and waste yarn, crochet a chain several sts longer than the required number of sts to be cast on. Fasten off. With knitting needle, pick up and knit the required number of sts in the bumps of the chain, leaving a couple empty chains at either end.

When ready to return to the cast-on, "unzip" the sts by undoing the fastened-off end of the chain and pull it out, placing the live sts on the knitting needle as you go.

WORKING PATTERN

BACK

Work Provisional cast-on as above, use 4mm needles and pick up 64 (70, 76, 80) sts.

Begin with a k (WS) row. Rev Stst even until piece measures 13 (14, 15, 18) cm from beg, end with a WS row.

Shape Armholes

Cast off 5 (5, 6, 6) sts at beg of next 2 rows.

Dec 1 st at each end every row 3 times, every other row 2 (2, 3) times. 44 (50, 52, 56) sts.

Rev Stst even until armhole measures 12.5 (14, 15, 16.5)cm, end with a WS row.

Shape Shoulders

Cast off 5 (6, 6, 7) sts at beg of next 4 rows; leave rem 24 (26, 28, 28) sts on holder.

LEFT FRONT

Work Provisional cast-on as above, use 4mm needles and pick up 22 (25, 28, 30) sts.

Row 1: WS – K4 (5, 5, 6), turn.

Row 2: Sl 1, p to end of row.

Row 3: K8 (10, 10, 12), turn.

Rows 4, 6 & 8: Sl 1, p to last st, M1P, p1.

Row 5: K12 (15, 15, 18), turn.

Row 7: K16 (20, 20, 24), turn.

Row 9: K to end of row.

Row 10: P to last st, M1P, p1.

Rep last 2 rows to 30 (33, 36, 38) sts.

Rev Stst even until side edge (beg of RS rows) measures 6.5cm, end with a RS row.

Place Cable Panels

Next Row: foundation inc row WS – K5, (p1, M1, p2, M1, p1, k4) twice, p1, M1, p2, M1, p1, k5 (8, 11, 13). 36 (39, 42, 44) sts.

Next Row: RS – P5 (8, 11, 13), (row 1 of Cable Panel 1, p4) twice, row 1 of Cable Panel 1, p5.

Next Row: K5, (row 2 of Cable Panel 1, k4) twice, row 2 of Cable Panel 1, k5 (8, 11, 13).

Work a further 19 rows as established, end with a RS row.

Next Row: WS – K5, (p1, p2tog twice, p1, k4) twice, p1, p2tog twice, p1, k5 (8, 11, 13). 30 (33, 36, 38) sts.

Next Row: RS – P.

Rev Stst even until side edge measures 13 (14, 15, 18)cm from beg, end with a WS row.

Shape Armhole and Neck

Shape armhole at side edge as given for Back, AT THE SAME TIME, dec 1 st at neck edge on next and every following 3rd row 9 (10, 11, 11) times. 10 (12, 12, 14) sts.

Rev Stst even until armhole measures 12.5 (14, 15, 16.5)cm, end with a WS row.

Shape Shoulder

Cast off 5 (6, 6, 7) sts at beg of next row.

Work 1 row even. Cast off rem 5 (6, 6, 7) sts.

RIGHT FRONT

Work Provisional cast-on as above, use 4mm needles and pick up 22 (25, 28, 30) sts.

Row 1: WS – K.

Row 2: RS – P4 (5, 5, 6), turn.

Row 3: Sl 1, k to end of row.

Row 4: P1, M1P, p7 (9, 9, 11), turn.

Rows 5, 7 & 9: Sl 1, k to end of row.

Row 6: P1, M1P, p11 (14, 14, 17), turn.

Row 8: P1, M1P, p15 (19, 19, 23), turn.

Row 9: K to end of row.

Row 10: P1, M1P, p to end of row.

Rep last 2 rows to 30 (33, 36, 38) sts.

Rev Stst even until side edge (beg of WS rows) measures 6.5cm, end with a RS row.

Place Cable Panels

Next Row: foundation inc row WS – K5 (8, 11, 13), (p1, M1, p2, M1, p1, k4) twice, p1, M1, p2, M1, p1, k5. 36 (39, 42, 44) sts.

Next Row: RS – P5, (row 1 of Cable Panel 2, p4) twice, row 1 of Cable Panel 2, p5 (8, 11, 13).

Next Row: K5 (8, 11, 13), (row 2 of Cable Panel 2, k4) twice, row 2 of Cable Panel 2, k5.

Work a further 19 rows as established, end with a RS row.

Next Row: WS – K5 (8, 11, 13), (p1, p2tog twice, p1, k4) twice, p1, p2tog twice, p1, k5. 30 (33, 36, 38) sts.

Next Row: RS – P.

Rev Stst even until side edge measures 13 (14, 15, 18)cm from beg, end with a WS row.

Shape Armhole and Neck

Shape armhole at side edge as given for Back, AT THE SAME TIME, dec 1 st at neck edge on next and every following 3rd row 9 (10, 11, 11) times. 10 (12, 12, 14) sts.

Rev Stst even until armhole measures 12.5 (14, 15, 16.5)cm, end with a RS row. ▶



Rib even for further 5 rows, end with a WS row.

Cast off loosely in rib.

COLLAR

With circular needle and WS facing, starting at beg of left front neck shaping, pick up and k32 (35, 38, 41) sts to shoulder, k back neck holder sts, pick up and k32 (35, 38, 41) sts to start of right front neck shaping. 88 (96, 104, 110) sts. Do not join, work back and forth in rows.

Row 1: K to last 3 sts, turn.

Row 2: Sl 1, p to last 3 sts, turn.

Row 3: Sl 1, k to last 6 sts, turn.

Row 4: Sl 1, p to last 6 sts, turn.

Cont as now est, working 3 less sts each row until 28 (30, 32, 32) sts rem unworked.

Next Row: Work across all sts. Break yarn, leaving sts on spare needle for edging.

FRONT/COLLAR EDGING

With circular needle and RS facing, starting at bottom edge of right front, pick up and k17 sts along shaped edge of right front, pick up and k22 (26, 30, 35) sts up right center front edge to collar, k88 (96, 104, 110) sts of collar on spare needle, pick up and k22 (26, 30, 35) sts down left center front edge to shaping, pick up and k17 sts to bottom edge of left front. 166 (182, 198, 214) sts. Do not join, work back and forth in rows.

Starting with a WS row, work 2 rows in k2, p2 rib as given for armhole edging.

Next Row: buttonhole row WS – Rib 21 (21, 22, 22) sts, yo, rib 2 tog, rib 10 (14, 16, 21) sts, yo, rib 2 tog, rib 2 to end of row.

Work a further 3 rows in rib, end with a RS row.

Cast off loosely in rib.

Sew buttons to right front edging opposite buttonholes.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturallyyarns.nz

◀ **Kids Cable Vest continued ...**

Shape Shoulder

Cast off 5 (6, 6, 7) sts at beg of next row.

Work 1 row even. Cast off rem 5 (6, 6, 7) sts.

MAKING UP

Sew fronts to back at shoulders.

ARMHOLE EDGING

With 3.75mm needles and RS facing, pick up and k70 (74, 78, 82) sts around armhole opening.

Row 1: WS – P2, *k2, p2; rep from * to end.

Row 2: K2, *p2, k2; rep from * to end.

Rep rows 1 and 2 once more for k2, p2 rib.

Cast off loosely in rib.

Sew side and armhole edging seams.

Work 2nd armhole edging to match.

BOTTOM EDGING

Un-do Provisional Cast-on of fronts and back and place all resulting sts on smaller straight needle with RS facing. 108 (120, 132, 140) sts.

Row 1: RS – Work row 2 of k2, p2 rib as given for armhole edging and AT SAME TIME dec 1 st at each side seam. 106 (118, 130, 138) sts.

Pinafore Dress

By Biggan Design

YARN

- 4, 5, 6, 6 balls 50gm Biggan DK 8ply Merino Moin colour 945 olt 390
- 1 ball 50gm Biggan DK 8ply Merino contrast 1 colour 925 olt 380
- 1 ball 50gm Biggan DK 8ply Merino contrast 2 colour 080 olt 080

NEEDLES AND TOOLS

- 3mm knitting needles
- 3mm circular needle 40 cm long
- 4mm circular needle 60 cm long
- 3mm crochet hook
- stitch holder 11 cm

MEASUREMENTS

Size: 6mth-1, 2, 3, 4years
To fit: 53, 56, 58, 60cm
Height: 84, 92, 100, 108cm
Length: 46, 50, 54, 58

TENSION

22st by 20 rows over stocking st to 10cm ▶





Now work BACK and FRONT separately.

BACK

Put first 54(57, 60, 65) sts onto size 3mm straight needles. Work 1 row rib, then on RS dec1, one st in from armhole on either side, every other row 3 times (= 48, 51, 54, 59 sts left). When armhole measures 3 cm cast off the middle 20(23, 26, 29) sts, so you end up with 14(14, 14, 15) sts on either side of neck. Knit each side separately. Start with Left side.

Put Right side sts onto stitch holder.

BACK, LEFT SIDE

Cont with rib and dec1, one st in from neckline, every other row 3 times (= 11, 11, 11, 12 sts left).

When armhole measures 10(11, 11, 12) cm cast off.

BACK, RIGHT SIDE

Put Right side sts onto size 3mm straight needles. Knit as Left side, reverse shaping.

FRONT

Put remaining 54(57, 60, 65) sts onto size 3mm straight needles and knit as BACK.

MAKING UP

Shoulders

Fasten all loose ends. Steam, do not press, lightly over skirt with iron. Using yarn sew shoulder seams together from RS, in back loops of cast off sts, with an overcast stitch (similar to hemming stitch). This makes a decorative and smooth seam.

Using a size 3mm crochet hook crochet a cord of chain stitch about 80, 100 cm long, with either two strands of Mc for a plain cord or one strand each of Cc1 and Cc2 for a multi coloured cord. Thread cord through skirt between rib and st.st at waistline.

Biggan Design Pty Ltd
PO Box 798, Kenmore QLD
Ph: 07 3378 4453
www.biggandesign.com.au

Pinafore Dress continued ...

GETTING STARTED

Knitting on Circular Needles

When knitting dress on a circ needle, you have only the shoulder seams to sew together. To knit st.st on a circ needle only make knit sts (NO PURL sts) as you always knit in the same direction, like a spiral. This makes knit easy and quick and the garment ready to wear as soon the loose ends have been fastened. Knit dress, on circ needle up to armhole, then cont on straight needles.

Choose the Right Size

If the child is in between two measurements, I would advise you to choose the size up.

Correct Length for Garment

To shorten or lengthen pinafore always do this before starting on rib for bodice.

MOSS ST

Row 1: * K1, K1, rep from ** until end of row

Row 2: * K1, K1, rep from ** until end of row so K st goes over P st and P st goes over K st.

These 2 rows form pattern and are rep.

WORKING PATTERN

FRONT and BACK knitted in one piece With Mc cast on loosely

193(207, 223, 237) sts onto size 4mm circ needle (60 cm).

Close the loop to start knitting in the round, which means that the beg and end of row is where first and last sts meet. Make sure that all sts are hanging down in the same direction, so edge is not twisted. Work 3 cm moss.st.

Change to st.st NOTE! St.st is only K sts on circ needle and dec1 in beg of 1st row for size 1, 3. After 2 rows st.st make 2 stripes as follows, starting from beg of row: 3 rows Cc1, 2 rows Mc, 3 rows Cc2.

Cont to work with Mc.

When skirt measures 25(27, 30, 33cm) dec 64(69, 74, 79) sts for bodice as follows, starting from beg of row: *K1, K 2 tog, rep from* until end of row, so there are 128(138, 148, 158) sts left on needle.

Change to size 3mm circ needle (40 cm) and single rib. When rib measures 11(12, 13, 13)cm dec for armholes as follows, starting from beg of row:

Cast off 5(6, 7, 7)sts,
Rib 54(57, 60, 65)sts,
Cast off 10(12, 14, 14)sts,
Rib 54(57, 60, 65)sts,
Cast off 5(6, 7, 7)sts.

Instructions

Tunic with Cable Braid

By Cleckheaton Country

YARN

- 13, 14, 16, 17, 19 balls 50gm
Cleckheaton Country Wide in
colour 0009

NEEDLES AND TOOLS

- 7.00mm knitting needles
- 7.00mm double-pointed
knitting needles
- cable needle
- 2 stitch-holders
- wool sewing needle

MEASUREMENTS

Size: 6, 8-10, 12-14, 16-18, 20-22

To Fit Bust: 70, 75-80, 85-90,

95-100, 105-110cm

Finished Fit: 78, 88, 98, 108, 118cm

Length: 80, 81, 82, 83, 84cm

SPECIAL ABBREVIATIONS

C4F = Slip next 2 sts onto a cable
needle and leave at front of work, K2,
then K2 from cable needle.

C4B = Slip next 2 sts onto a cable
needle and leave at back of work, K2,
then K2 from cable needle.

TENSION

14 sts by 18 rows to 10cm over
stocking st, using 7.00mm needles

WORKING PATTERN

BACK

Using 7.00mm needles, cast on 68
(74, 82, 88, 94) sts.

Row 1: P1 (1, 2, 2, 2), (K1, P2) 6 (7,
8, 9, 10) times, K2, C4F, (P2, K1) 14
(15, 16, 17, 18) times, P1 (1, 2, 2, 2).

Row 2: K1 (1, 2, 2, 2), (P1, K2) 14
(15, 16, 17, 18) times, P6, (K2, P1)
6 (7, 8, 9, 10) times, K1 (1, 2, 2, 2).

Row 3: P1 (1, 2, 2, 2), (K1, P2) 6 (7,

Cleckheaton



8, 8, 10) times, C4B, K2, (P2, K1) 14 (15, 16, 17, 18) times, P1 (1, 2, 2, 2).

Row 4: As Row 2.

Rep 1st and 2nd rows once (6 rows in all).

Begin Patt

Row 1: K17 (20, 24, 27, 30), P2, C4B, K2, P2, K41 (44, 48, 51, 54).

Row 2: P41 (44, 48, 51, 54), K2, P6, K2, P17 (20, 24, 27, 30).

Row 3: K17 (20, 24, 27, 30), P2, K2, C4F, P2, K41 (44, 48, 51, 54).

Row 4: As 2nd row.

Last 4 rows form patt.

Begin Side Shaping

Keeping patt correct, dec one st at each end of next row, then in every foll 8th row until 52 (58, 66, 72, 78) sts rem.

Work 5 rows patt.

Inc one st at each end of next row, then in every foll 6th row until there are 60 (68, 74, 82, 88) sts.

Cont without further inc until Back measures 58cm from beg, working last row on wrong side.

Shape Armholes

Keeping patt correct, cast off 2 (3, 4, 5, 5) sts at beg of next 2 rows. 56 (62, 66, 72, 78) sts.

Dec one st at each end of next row, then in every foll alt row until 50 (54, 58, 62, 68) sts rem.

Cont in patt until Back measures approx 80 (81, 82, 83, 84) cm from beg, ending with a 4th patt row.

Shape Shoulders

Keeping patt correct, cast off 3 (3, 4, 4, 5) sts at beg of next 2 rows, then 2 (3, 3, 4, 5) sts at beg of foll 2 rows. Leave rem 40 (42, 44, 46, 48) sts on a stitch-holder.

FRONT

Using 7.00mm needles, cast on 68 (74, 82, 88, 94) sts.

Row 1: P1 (1, 2, 2, 2), (K1, P2) 14 (15, 16, 17, 18) times, K2, C4F, (P2, K1) 6 (7, 8, 9, 10) times, P1 (1, 2, 2, 2).

Row 2: K1 (1, 2, 2, 2), (P1, K2) 6 (7, 8, 9, 10) times, P6, (K2, P1) 14 (15, 16, 17, 18) times, K1 (1, 2, 2, 2).

Row 3: P1 (1, 2, 2, 2), (K1, P2) 14 (15, 16, 17, 18) times, C4B, K2, (P2, K1) 6 (7, 8, 9, 10) times, P1 (1, 2, 2, 2).

Row 4: As Row 2.

Rep 1st and 2nd rows once (6 rows in all).

Begin Patt

Row 1: K41 (44, 48, 51, 54), P2, C4B, K2, P2, K17 (20, 24, 27, 30).

Row 2: P17 (20, 24, 27, 30), K2, P6, K2, P41 (44, 48, 51, 54).

Row 3: K41 (44, 48, 51, 54), P2, K2, C4F, P2, K17 (20, 24, 27, 30).

Row 4: As 2nd row.

Last 4 rows form patt.

Begin Side Shaping

Keeping patt correct, dec one st at each end of next row, then in every foll 8th row until 52 (58, 66, 72, 78) sts rem.

Work 5 rows patt.

Inc one st at each end of next row, then in every foll 6th row until there are 60 (68, 74, 82, 88) sts.

Cont without further inc until Front measures same as Back to beg of armhole shaping, ending with same patt row.

Shape Armholes

Keeping patt correct, cast off 2 (3, 4, 5, 5) sts at beg of next 2 rows. 56 (62, 66, 72, 78) sts.

Dec one st at each end of next row,

then in every foll alt row until 50 (54, 58, 62, 68) sts rem.

Cont in patt until Front measures same as Back to beg of shoulder shaping, ending with a 4th patt row.

Shape Shoulders

Keeping patt correct, cast off 3 (3, 4, 4, 5) sts at beg of next 2 rows, then 2 (3, 3, 4, 5) sts at beg of foll 2 rows.

Leave rem 40 (42, 44, 46, 48) sts on a stitch-holder.

NECKBAND

Join shoulder seams. With right side facing and using set of 7.00mm double-pointed needles, patt across sts from front stitch-holder, then patt across sts from back stitch-holder. 80 (84, 88, 92, 96) sts.

Begin Patt

Round 1: K27 (28, 29, 30, 31), P2, K6, P2, K6 (8, 10, 12, 14), P2, K6, P2, K27 (28, 29, 30, 31).

Round 2: K27 (28, 29, 30, 31), P2, K2, C4F, P2, K6 (8, 10, 12, 14), P2, K2, C4F, P2, K27 (28, 29, 30, 31).

Round 3: As 1st round.

Round 4: K27 (28, 29, 30, 31), P2, C4B, K2, P2, K6 (8, 10, 12, 14), P2, C4B, K2, P2, K27 (28, 29, 30, 31).

Last 4 rounds form patt for neckband. Rep last 4 rounds 5 times (24 rounds in all).

Cast off in patt.

MAKING UP

Join side seams. Fold neckband out loosely.

Cleckheaton Yarns

1800 337 032

www.cleckheaton.com.au

Park Avenue



A novelty yarn design using Park Avenue from Wool Inn.

YARN

- 1 skein Park Avenue natural

NEEDLES

- 4.5mm knitting needles

TENSION

Not critical

MEASUREMENTS

Size: 120cm approx

STITCH GUIDE

When working make sure to unfold the ribbon after finishing each row pull it out to widen it.

Create a neat small knot at end of skein, later untie and retie in smaller knots. Unfold the ribbon.

Step one: cast on 3sts in the cast-on edge of the ribbon. By threading needle through ribbon edge.

Step two: Insert RH needle in the 3rd st (the left most st) and knit it without letting it go off the needle.

Step three: Insert needle in the 2nd st and knit it without letting it go of the needle.

Step four: Insert needle in the 1st st and knit it without dropping it off needle: you now have 3st on RH needle and 3sts on LH needle.

Step five: let go 3 sts on LH needle: you now have 3 sts again. Turn. Follow steps two to five in each row. Continue to skein is nearly finished. Cast off sts.

Retie knots in ends to neaten.

The Wool Inn
Shop 14 NK Centre
450 High St, Penrith
Ph: 02 4732 2201
www.the-wool-inn.com.au



Picasso Shawl

A Big needle project
Designed by Alison Craven



YARN

- 3 balls Heirloom Picasso

NEEDLES AND TOOLS

- 20mm knitting needles
- 25mm knitting needles

MEASUREMENTS

Approx 140cm wide x 95cm to point

TENSION

Garment is designed to be knitted on large needles

WORKING PATTERN

Using 20mm needles cast on 3 stitches.

Row 1: M1, knit to end.
Repeat Row 1 until 60 stitches on needle.

Change to 25mm needles

Knit 1 row.

Cast off.

MAKING UP

Sew in ends.

Fringe side edges.



Knitting Yarns by Mail
114 Fox and Fancles Rd
Boolarra 5th, Vic
Ph: 0408 992 927
www.knittingyarns.com.au

Top with Eyelet Pattern

Design by Robin Melanson
for Naturally Yarns

YARN

- 6, 7, 8, 8, 9, 10 balls 50gm Walkiwi
in shade #414

NEEDLES AND TOOLS

- 3.25mm needles
- 3.25mm circular needle 60cm long
- 2.75mm needles
- 2.75mm circular needle 60cm long
- Stitch markers
- Stitch holders

MEASUREMENTS

To fit: 71-76, 81-86, 91-96, 101-106,
112-117, 122-127cm

Finished fit Bust: 80, 90, 101.5, 112,
123, 133.5cm

Length of Back: 53.5, 54.5, 58, 60.5,
61.5, 64cm

Sleeve Length: 21.5, 21.5, 22, 22,
23, 23cm

SPECIAL ABBREVIATIONS

M1L – make 1 st left – pick up running
thread from front to back, k it through
the back loop;

M1R – make 1 st right – pick up
running thread from back to front, k it
through the front loop;

ssk – slip next 2 sts knitwise, one at a
time to righthand needle, then insert tip
of left hand needle into fronts of these
stitches from left to right and knit them
together to decrease 1 stitch;

TENSION

28 sts by 36 rows over Stst on
3.25mm needles to 10cm

GETTING STARTED

Stitch Pattern

K1/P1 Rib (even number of sts)

Rows 1 & 2: *K1, p1; rep from
* to end.

Rep Rows 1-2 for pattern.





K1/P1 Rib (odd number of sts)

Row 1: RS – K1, *p1, k1; rep from * to end.

Row 2: WS – P1, *k1, p1; rep from * to end.

Rep Rows 1-2 for pattern.

WORKING PATTERN

BACK

With 2.75mm straight needles, cast on 112 (127, 142, 157, 172, 187) sts.

K1/P1 Rib for 1.5cm, end with a RS row.

Change to 3.25mm straight needles.

Next Row: WS – P.

Next Row: RS – Beg Chart – Work

Row 1 of Chart to end, working marked repeat 7 (8, 9, 10, 11, 12) times.

Cont in Chart patt until Rows 1-12 have been worked 7 times. Piece measures approx 25cm from beg.

Next Row: RS – K, dec 14 (15, 14, 15, 14, 15) sts evenly spaced. 98 (112, 128, 142, 158, 172) sts.

Change to 2.75mm straight needles. K1/P1 Rib for 2cm, end with a WS row.

Change to 3.25mm straight needles.

Next Row: RS – K48 (55, 63, 70, 78, 85), p2, k48 (55, 63, 70, 78, 85).

Next Row: WS – P.

(Cont as established for remainder of piece, keeping 2 sts at center in G1st and sts either side in Stst.)

Next Row: Inc Row – RS – K2, M1R, work as est to last 2 sts, M1L, k2.

Rep Inc Row every 6 (6, 8, 8, 8, 8) rows 3 (4, 2, 4, 4, 6) more times, then every 4 (4, 6, 6, 6, 6) rows 3 (2, 4, 2, 2, 0) times. 112 (126, 142, 156, 172, 186) sts.

Work even until piece measures 11 (11.5, 13.5, 14.5, 14.5, 16) cm from end of midriff rib, end with a WS row.

Shape Armholes

Cast off 7 (9, 11, 12, 14, 16) sts at beg of next 2 rows, then cast off 0 (0, 0, 2, 2, 2) sts at beg of next 0 (0, 0, 2, 2, 2) rows. 98 (108, 120, 128, 140, 150) sts.

Next Row: Dec Row – RS – K1, ssk, work as est to last 3 sts, k2tog, k1. Rep Dec Row every other row 5 (8, 10, 10, 12, 13) more times, then every 4 rows 0 (0, 1, 2, 2, 2) times. 86 (90, 96, 102, 110, 118) sts. Cont even as established until armhole measures 18 (18.5, 19.5, 21, 22, 23.5) cm, end with a WS row.

Cast off all sts, and place a removable marker 12 (14, 16, 18, 21, 24) sts in from each shoulder edge to mark shoulder sts.

FRONT

Work as for Back until armholes measures 10 (11, 12, 12, 13.5, 14.5) cm from beg, end with a WS row.

Shape Neck

Next Row: RS – K29 (31, 33, 36, 39, 42), join new yarn and cast off center 28 (28, 30, 30, 32, 34) sts, k to end. 29 (31, 33, 36, 39, 42) sts each side.

Work both sides at once from separate balls from this point forward.

Cast off from each neck edge 4 sts once, then 2 sts 4 times, then dec 1 st at each neck edge on next RS row and every other row 4 (4, 4, 5, 5, 5) more times. 12 (14, 16, 18, 21, 24) sts rem

each side when all shaping is complete. Work both sides even until armholes meas same as Back, end with a WS row. Cast off rem sts each side.

SLEEVES

Lower Sections (make 2)

With 2.75mm straight needles, cast on 37 (37, 39, 41, 52, 52) sts.

K1/P1 Rib for 1.5cm, end with a RS row.

Change to 3.25mm straight needles.

Next Row: WS – P

Design Note: to create a neater edge for the sides, slip the last st of each row with the yarn at the WS of the work throughout the next section.

Next Row: RS – Beg Chart – K0 (0, 1, 2, 0, 0), work Row 1 of Chart to last 0 (0, 1, 2, 0, 0) sts, working marked repeat 2 (2, 2, 2, 3, 3) times, end K0 (0, 1, 2, 0, 0).

Cont in Chart patt through Row 12 (keeping side sts in Stst for 3rd and 4th sizes). Piece measures approx 4.5cm from beg.

Set aside and make 2nd Lower Section.

Join Lower Sections

With 2.75mm straight needles, K1/P1 Rib across 37 (37, 39, 41, 52, 52) sts of first Lower Section, then with same ball of yarn cont in K1/P1 Rib across 37 (37, 39, 41, 52, 52) sts of second Lower Section. 74 (74, 78, 82, 104, 104) sts.

Cont in rib as established for 2cm, end with a WS row.

Change to 3.25mm straight needles.

Next Row: WS – P, inc 0 (0, 0, 6, 0, 0) sts evenly spaced. 74 (74, 78, 88, 104, 104) sts.

Next Row: RS – K36 (36, 38, 43, 51, 51), p2, k36 (36, 38, 43, 51, 51).

Next Row: WS – P

(Cont as established for remainder of piece, keeping 2 sts at center in Gtst and sts either side in Stst.)

Next Row: Inc Row – RS – K2, M1R, work as est to last 2 sts, M1L, k2.

Rep Inc Row every 10 (8, 6, 8, 18, 8)

rows 3 (2, 8, 3, 1, 4) more times, then every 8 (6, 0, 6, 16, 6) rows 2 (5, 0, 4, 2, 3) times. 86 (90, 96, 104, 112, 120) sts.

Work even until piece measures 15 (15, 16, 16, 16.5, 16.5) cm from end of rib, end with a WS row.

Shape Cap

Cast off 7 (9, 11, 12, 14, 16) sts at beg of next 2 rows, then cast off 0 (0, 0, 2, 2, 2) sts at beg of next 0 (0, 0, 2, 2, 2) rows. 72 (72, 74, 76, 80, 84) sts.

Next Row: Dec Row – RS – K1, ssk, work as est to last 3 sts, k2tog, k1.

Rep Dec Row every other row 17 (7, 9, 8, 9, 9) more times, then every 4 rows 0 (2, 2, 3, 3, 4) times, then every other row 0 (7, 7, 7, 7, 7) times. 36 (38, 36, 38, 40, 42) sts.


Cast off 2 sts at beg of next 6 (4, 4, 4, 4) rows, then 3 sts at beg of foll 2 rows. 18 (20, 22, 24, 26, 28) sts. Cast off rem sts.

MAKING UP

Block pieces to measurements. Sew Left shoulder seam.

COWL

With 3.25mm circ, RS facing and beg at Back neck edge, pick up and k 62 (62, 64, 66, 68, 70) sts evenly along Back neck edge between markers, and 80 (80, 82, 84, 86, 88) sts evenly along Front neck edge. 142 (142, 146, 150, 154, 158) sts.



Do not join; work back and forth in rows.

Next Row: WS – P

Stst even until cowl measures 12.5cm, end with a WS row.

Change to 2.75mm circ and K1/P1 Rib for 4 rows.


Cast off all sts loosely in rib.

Sew side and sleeve seams. Leave sleeve open at front between Lower Sections.

Set in sleeves.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturallyyarnsnz.com

Chart



Key

- ☐ K on RS; p on WS
- ☐ Yarnover
- ☐ K2tog
- ☐ Ssk
- ☐ Pattern Repeat

Crochet Bag

By Panda Cotton

YARN

- 4 balls 50gm Panda Cotton blend 8ply in colour 4
- pair of handles 22.5cm wide, with opening 19.5cm wide

NEEDLES AND TOOLS

- 3.50mm crochet hook
- wool sewing needle

MEASUREMENTS

23cm wide x 19cm deep excluding handles

SPECIAL ABBREVIATIONS

Popcorn = 5tr in next st, draw up lp and remove hook, insert hook from back to front into first of these tr and draw lp through (reducing lp to working height), work 1ch to fasten.

TENSION

7 potts to 9cm wide by 13 rows over popcorn pott, using 3.50mm hook to 10cm

WORKING PATTERN

SIDES OF BAG (MAKE 2 ALIKE)

Using 3.50mm hook, loosely make 38ch.

Row 1: Miss 1ch, 1dc in each ch to end. 37dc.

Row 2: (1dc, 1ch) in first dc, * Popcorn in next dc, 1tr in next dc, rep from * to end.

3rd row – 1ch, 1dc in first tr, * 1dc in top of Popcorn, 1dc in next tr, rep from * to end, working last dc in turning ch.

Last 2 rows form patt.

Cont in patt until work measures approx 14cm from beg.

Tie a coloured thread at each end of last row to indicate end of side seams.

Cont in patt until work measures approx 19cm from beg, ending with a 3rd patt row.

Shape for Handles

Next Row: Sl st across first 2 sts, (1dc, 1ch) in next dc, Popcorn in next dc, patt to last 2 sts, turn.

Next Row: 1ch, 1dc in first tr, 1dc in top of Popcorn, patt to last 2 sts, 1dc in Popcorn, 1dc in turning ch. Work 5 rows dc for handle flap. Fasten off.

MAKING UP

If desired, block sides to shape as folls

– wet fabric (gently squeezing out excess water), pin each side to shape, then leave until completely dry. Using a flat seam, join base seam and side seams to coloured threads. Insert handle flaps through opening at base of handles and stitch securely in place on wrong side.

Panda Yarns
Ph: 1800 337 032
www.pandayarns.com.au



Darling Set

From Texyarns International

YARN

- Hat - 2 balls Kotia Darling colour 206
- Scarf - 5 balls Katia Darling colour 206
- Gloves - 1 ball Kotia Darling colour 200

NEEDLES AND TOOLS

- 1.75mm crochet hook
- Set of 4, 3.5mm double pointed needles

MEASUREMENTS

Hat: One size fits most

Scarf: 20cm wide x 150cm long
(without fringe)

Gloves - medium

TENSION

1 square using 1.75mm crochet hook
to 10cm

Gloves - 30sts by 40 rows over

Stocking St on 3.5mm needles to 10cm

GETTING STARTED

See Graph A for square
Graph A

@9@ chain 1

@8@ slip st

@174@ treble crochet

HAT

Chain 5 and work 9 rows of Square
following graph A. Cut yarn and fasten
off weaving in ends.

Make 4 more Squares.

MAKING UP

Join the Squares using Single Crochet in
the following manner: place 2 Squares
tog with right sides touching, insert the
crochet hook through both Squares at
the arch on edges and work 1 sc. Cont
working * 3 sc on ch st on base, 2 ch,
skip 3 dc on base *, rep from * to *
joining the Squares. Join the 4 Squares
in this manner finishing by joining the 1st
Square to the last to close them. Place
the remaining Square at the top of the



Katia

hat and join on the wrong side using sc following graph B. With 2 strands of yarn make a row of sc at the base of the hat working 16 sc for each Square.

SCARF

Chain 5 and work 7 rows of Square following graph A. Cut yarn and fasten off weaving in ends.
Make a total of 30 Squares.

MAKING UP

Join the Squares using Single crochet in the following manner: place 2 Squares tog with right sides touching, insert the crochet hook through both Squares at the arch on edges and work 1 sc. Cont working * 3 sc on ch st on base, 2 ch, skip 3 dc on base *, rep from * to * joining the Squares 2 by 2, then joining to form a strip of 2 x 15 squares.

To make fringe, cut strands 24 cm long, group strands tog 4 by 4 and tie following fringe to the arches on edges and to the ch st at each end of the scarf.

GLOVES

GETTING STARTED

Instructions are given in medium size to adjust size of glove follow graph below.

Cast on 20 sts on 1 needle, 20 sts on another and 20 sts on the 3rd needle. 60 sts (cast on sts loosely so they are not tight). With the 4th needle work sts on each needle in 1x1 Ribbing.
Note: to avoid a ladder between sts on each needle do the following after every 2 rounds: after finishing the sts on 1 needle work 2 more sts from the following needle, rep this operation with each needle until the original 20 sts are returned to their starting point. When hand measures 7.5 cm, cont working in Stocking St increasing 10 sts once in the same round in the following manner: * K6, inc 1 (pick up strand of yarn between last worked st on right needle and st to be worked on left needle and knit Twisting a Stitch *, rep from * to *. 70 sts.

When hand measures 14.5 cm start 1st finger.

Thumb: work over 14 sts leaving rem sts of each needle on a stitch holder

Glove size	S	M	L
Sts. to cast on each needle	18	20	22
No. of sts to increase after ribbing	11	10	9
St distribution for fingers	13	14	15
No. of increase sts on 1st row of each finger	1	2	3
Distance from start of stockinette st to start of thumb (cm).	6 cm	7 cm	8 cm
Distance from start of thumb to start of fingers (cms).	2.5 cm	3 cm	3.5 cm
Size of each finger (cm):			
Thumb	2.5 cm	3.5 cm	4.5 cm
Index	2.5 cm	3.5 cm	4.5 cm
Middle	4 cm	5 cm	6 cm
Ring	3 cm	4 cm	5 cm
Little	2 cm	3 cm	4 cm

so they can be put back into work in the same order.

Distribute the 14 sts in the following manner: 4 sts on 1st needle, 1 increase, 5 sts, 5 sts on 2nd needle, 1 increase, 6 sts, 5 sts on 3rd needle. 16 sts.

Work in the round in Stocking St.

When thumb measures 3.5 cm cast off the 16 sts.


Hand: bring back into work the 56 sts left on stitch holders, distribute them onto the

3 needles and work 3 cm St St.

Fingers: work each finger separately in the same manner as thumb but making each one a different length: index: 3.5 cm, middle 5 cm, ring: 4 cm, little: 3 cm. Make other glove the same.

Texyarns International Pty Ltd
Level 1, 105-115 Dover Street
Cremorne VIC 3121 Melbourne
Ph: 03 9427 9009

Graph A



Code:

- 999
- 999
- † 91749

Graph B



Misti Shrug

By The Wool Shop

YARN

- 2 balls Misti Alpaca Tonos Carnaval 4ply

NEEDLES AND TOOLS

- 3.75mm knitting needles
- 3.25mm knitting needles
- 5.00mm circular needle 80cm long

MEASUREMENTS

One size fits most

TENSION

As per wool

GETTING STARTED

Pattern

Row 1: RS – knit

Row 2: Purl

Row 3: K1, * (k2tog) 3 times, (yo, k1) 6 times, (k2tog) 3 times * repeat from * to * to last st, k1.

Row 4: knit

These four rows form one pattern set.

WORKING PATTERN

BACK

Using circular needle cast on 200sts.
Work pattern set (4 rows) 34 times ending on a 2nd row.
Cast off loosely.

CUFFS

Using 3.75mm needles pick up 110sts evenly along side edge of main piece.



Starting with Row 2: Purl - work 22 rows of pattern. Change to 3.25mm needles and continue in pattern for 22 additional rows. Cast off loosely. Repeat on second side edge.

MAKING UP

Sew a 20cm side seam on each sleeve or more if desired.

The Wool Shop
58 Main Road Moonah Tas
Phone 03 62781800
www.wool suppliers.com.au

Lace Stitch Pullover

Design by Wendy

YARN

• 5, 6, 7 balls 50g Wendy Osprey Aron
in shade #2682

NEEDLES AND TOOLS

- 4.5mm knitting needles
- 5.5mm knitting needles

MEASUREMENTS

To fit bust: 76-81, 86-91, 102-107cm
Finished fit: 82, 97, 108cm
Length: 50, 52, 55cm

SPECIAL ABBREVIATIONS

psso - pass slipped stitch over
yfwd - yarn forward
yon - yarn over needle

TENSION

9 sts over patt on 5.5mm needles
to 5cm

WORKING PATTERN

BACK

**With 4.5mm needles cast on 75
(87, 99) sts.

Row 1: RS - K1, *P1, K1, rep from *
to end.

Row 2: P1, *K1, P1, rep from * to end.
Rep these 2 rows for 7.5cm, end with
WS row.

Change to 5.5mm needles.

Beg Main Pattern

Row 1: RS - P3, *K3, yon, sl 1,
K2tog, psso, yfwd, K3, P3, rep from
* to end.

Row 2: K3, *P9, K3, rep from * to end.

Row 3: P3, *K2, yon, sl 1, K1, psso,
K1, K2tog, yfwd, K2, P3, rep from
* to end.

Row 4: As row 2.

Rows 5-7: As rows 1-3.

Row 8: As row 2.

Rows 9 & 10: As rows 1 & 2.

Row 11: P3, K3, *P3, K3, yon, sl 1,
K2tog, psso, yfwd, K3, rep from * to
last 9 sts, P3, K3, P3.

Row 12: K3, P3 *K3, P9, rep from *
to last 9 sts, K3, P3, K3.

Row 13: P3, K3, *P3, K2, yon, sl 1,
K1, psso, K1, K2tog, yfwd, K2, rep
from * to last 9 sts, P3, K3, P3.

Row 14: As row 12.


Rows 15-17: As rows 11-13.

Row 18: As row 12.

Rows 19 & 20: As rows 11 & 12.
Rep these 20 rows for Main patt
throughout.

Patt until work measures 40.5cm
from cast on edge, end with a
WS row.





Shape Armholes

Keeping patt correct, cast off 10 (12, 14) sts at beg of next 2 rows. 55 (63, 71) sts.**
Work straight until armhole measures 19 (21.5, 24) cm from beg of shaping, end with a WS row.

Shape Neck and Shoulders

Next Row: Cast off 5 (6, 7), patt until there are 15 (17, 19) sts on right hand needle, turn and leave remaining sts on a spare needle.
Work on first set of sts:
Next Row: Cast off 2, patt to end.
Next Row: Cast off 5 (6, 7), patt to end.

Next Row: Cast off 2, patt to end.
Cast off.
Return to sts on spare needle.
With RS facing, slip next 15 (17, 19) sts onto a holder, join yarn to next st and patt to end of row.
Next Row: Cast off 5 (6, 7), patt to end.
Next Row: Cast off 2, patt to end.
Rep last 2 rows once more.
Cast off.

FRONT

Work as given for Back from ** to **. Work straight until armholes measures 14 (16.5, 19) cm, from beg of shaping, end with a WS row.

Shape Neck

Next Row: Patt 20 (23, 26), turn and leave remaining sts on a spare needle. Work on first set of sts: Dec 1 st at neck edge on every following alternate row until 16 (19, 22) sts remain.
Work straight until Front measures same as Back to beg of shoulder shaping, end at armhole edge.

Shape Shoulder

Cast off 5 (6, 7) sts at beg of next and following alternate row.
Work 1 row.
Cast off.
Return to sts on spare needle.

With RS facing, slip next 15 (17, 19) sts onto a holder, join yarn to next st and patt to end of row.
Now complete to match first side of neck.

NECKBAND

Join right shoulder seam.
With RS facing and 4.5mm needle, join yarn to neck at left front shoulder and pick up and K 12 sts down left side of front neck, K the front neck holder sts, pick up and K 12 sts up right side of front neck, 4 sts down right side of back neck, K the back neck holder sts, then pick up and K 4 sts up left side of back neck. 62 (66, 70) sts.
K1, P1 rib for 7.5cm. Cast off in rib.

Join left shoulder and neckband seam.

ARMBANDS

With RS facing and 4.5mm needles pick up and K 81 (91, 97) sts around entire armhole.
K1, P1 rib for 7 rows. Cast off in rib.

MAKING UP

Sew up side and armband seams.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturollyyornsnz.com

MISSED A COPY?

Please send me: ☐ AK2_3 ☐ AK2_4 ☐ AK3_1
☐ AK3_2 ☐ AK3_3 ☐ AK3_4

\$9.95 each (Plus \$2.95 P & H for 1-2 copies, 3 or more \$4.95)

Name:

Address:

Suburb:

State: P/code:

Card holder's name:

Payment options:

1. I enclose a cheque/money order made payable to:
Woodlands Publishing Pty Ltd for \$.....

2. Please debit my ☐ Visa ☐ Mastercard

Card No _____ / _____ / _____ / _____ Expiry: ____ / ____

Signature:



Post to: Creative Beading Magazine, PO Box 8035, Glenmore Park NSW 2745 Ph: 02 4722 2260 Fax: 02 4733 8583

Ruana in Riot

By The Wool Shop

YARN

8 balls 100gm King Cole Riot

NEEDLES AND TOOLS

4.50mm circular needle

MEASUREMENTS

One size fits all

TENSION

22sts over pattern to 10cm

GETTING STARTED

Pattern

Row 1: Knit

Row 2: Knit 3, * k2tog, k5, yfwd, k1, yfwd, k5, k2tog * repeat * to * till the last 3 sts k3.

Row 3: purl

These 3 rows form the pattern.

WORKING PATTERN

SIDES MAKE 2

Cast on 306sts.

Work in pattern for 180 rows

(60 x pattern in total)

Cast off loosely.

BACK INSERT

Cast on 36 sts

Work in pattern for 291 rows
(97 x pattern in total)

MAKING UP

Fold 2 sides in half, forming front and back. Place insert along back half of each side. Sew into position by

overlapping scallops from sides down the insert. Sew in all ends.

The Wool Shop

58 Main Road Moonah Tas

Phone 03 62781800

www.woolsuppliers.com.au



Beanie and Scarf

Design by Gitta Schrade
for Naturally Yarns

YARN

- Beanie 1 ball 50gm Mohair 12ply in shade #512
- Scarf 2 balls 50gm Mohair 12ply in shade #503

NEEDLES AND TOOLS

- 5mm knitting needles
- 5.5mm knitting needles

MEASUREMENTS

To fit: Adult Head Small, Medium, Large
Scarf without fringe: 150cm x 13cm

SPECIAL ABBREVIATIONS

skp – slip 1 stitch, knit 1 stitch, pass slipped st over;

TENSION

16 sts by 22 rows over Stst on 5.5mm needles to 10cm.

WORKING PATTERN

BEANIE

With 5mm needles, cast on 76 (80, 84) sts.

K2, p2 rib for 5cm, end with a WS row.

Change to 5.5mm needles.

Stst until hat measures 13 (13, 14) cm from beg, end with a WS row.

Shape Top

Next Row: RS – K1, k2tog, k13 (14, 15), [skp, k2, k2tog, k13 (14, 15)] 3 times, skp, k1. 68 (72, 76) sts.
P 1 row.

Next Row: K1, k2tog, k11 (12, 13), (skp, k2, k2tog, k11 (12, 13)) 3 times, skp, k1. 60 (64, 68) sts.
P 1 row.

Next Row: K1, k2tog, k9 (10, 11), (skp, k2, k2tog, k9 (10, 11)) 3 times, skp, k1. 52 (56, 60) sts.
P 1 row.

Cont in this manner with 2 sts less between dec's every dec row until 20 (16, 20) sts rem.

P 1 row.

Next Row: K2tog across row. 10 (8, 10) sts.

Break yarn, leaving longer end, thread through rem sts and pull together, secure end.

MAKING UP

Join back seam.

SCARF

With 5.5mm needles, cast on 22 sts.
K2, p2 rib for 150cm, or length required.

Cut 30cm long ends (30 ends required in total) and attach 5 bundles made of 3 ends along both ends of scarf for fringe.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturallyyarnsnz.com



Man's Textured Jumper

By Patons Yarns

YARN

- 20, 22, 23, 25 balls 50gm Potons
Inco in colour 7019

NEEDLES AND TOOLS

- 7.00mm knitting needles
- 6.00mm set double-pointed knitting needles
- 2 stitch-holders
- wool sewing needle

MEASUREMENTS

Size: S, M, L, XL

To fit: 95, 105, 115, 125cm

Finished fit: 115, 125, 135, 145cm

Length: 76, 77, 78, 79cm

Sleeve length: 50cm

TENSION

13 sts by 19 rows to 10 cm over patt,
using 7.00mm needles

WORKING PATTERN

BACK

Using 7.00mm needles, cast on
78 (86, 90, 98) sts.

Row 1: K2, * P2, K2, rep from * to end.

Row 2: P2, * K2, P2, rep from
* to end.

Last 2 rows form rib.

Work a further 6 rows rib, dec one
st in centre of last row. 77 (85, 89,
97) sts.

Beg Main Pattern

Row 1: Purl.

Row 2: Knit.

Row 3: (K1 tbl) 0 (0, 0, 2) times, P3
(1, 3, 5), * P4, (K1 tbl) 3 times, P5,
rep from * to last 2 (0, 2, 6) sts, P2
(0, 2, 4), (K1 tbl) 0 (0, 0, 2) times.

Row 4: P0 (0, 0, 2), K2 (0, 2, 4),
* K5, P3, K4, rep from * to last 3 (1,
3, 7) sts, K3 (1, 3, 5), P0 (0, 0, 2).

Row 5: As 3rd row.

Row 6: As 4th row.

Row 7: (K1 tbl) 1 (0, 1, 5) times, P2
(1, 2, 2), * P1, (K1 tbl) 9 times, P2,
rep from * to last 2 (0, 2, 6) sts, P1
(0, 1, 1), (K1 tbl) 1 (0, 1, 5) times.

Row 8: P1 (0, 1, 5), K1 (0, 1, 1),
* K2, P9, K1, rep from * to last 3 (1,
3, 7) sts, K2 (1, 2, 2), P1 (0, 1, 5).

Row 9: As 7th row.

Row 10: As 8th row.

Row 11: As 3rd row.

Row 12: As 4th row.

Row 13: As 3rd row.

Row 14: As 4th row.

Row 15: Purl.

Row 16: Knit.

Rows 1 to 16 incl form patt.

Cont in patt until Back measures
54cm from beg, working last row on
wrong side.

Tie a coloured thread at each end of
last row to mark beg of armholes as
there is no armhole shaping.

Cont in patt until Back measures 76
(77, 78, 79) cm from beg, working
last row on wrong side.

Shape Shoulders

Keeping patt correct, cast off 8 (9, 9,
10) sts at beg of next 4 rows, then
7 (8, 10, 11) sts at beg of foll 2 rows.
Leave rem 31 (33, 33, 35) sts on a
stitch-holder.

FRONT

Work as given for Back until there are
16 (18, 20, 22) rows less than Back
to beg of shoulder shaping, working
last row on wrong side.

Beg Neck Shaping

Next Row: Patt 29 (33, 35, 39), TURN.
Cont on these 29 (33, 35, 39) sts for
left side of neck.

Keeping patt correct, dec one st at
neck edge in every row 4 (4, 2, 2)
times, then in every foll alt row 0 (1,
3, 4) times. 25 (28, 30, 33) sts.
Work 1 row patt.

Shape Shoulder

Design note: There are 10 rows less
on Front to beg of shoulders than
on Back to accommodate front
saddle inserts.

Row 1: Cast off 8 (9, 9, 10) sts, patt
to last 2 sts, K2tog.

Row 2: Patt to end.

Rep last 2 rows once.

Cast off rem 7 (8, 10, 11) sts.

Slip next 19 sts onto a stitch-holder
and leave for neckband. With right side
facing, join yarn to rem 29 (33, 35,
39) sts and patt to end.

Cont on these 29 (33, 35, 39) sts for
right side of neck.

Dec one st at neck edge in every row 4
(4, 2, 2) times, then in every foll alt row
1 (2, 4, 5) times. 24 (27, 29, 32) sts.

Shape Shoulder

Row 1: Cast off 8 (9, 9, 10) sts, patt
to end.

Row 2: K2tog, patt to end.

Row 3: Cast off 8 (9, 9, 10) sts, patt
to end.

Work 1 row patt.

Cast off rem 7 (8, 10, 11) sts.

LEFT SLEEVE

Using 7.00mm needles, cast on 42
(46, 46, 46) sts.

Work 8 rows rib as given for Back, inc
one st in centre of last row. 43 (47,
47, 47) sts.

Beg Main Pattern

Row 1: Purl.

Row 2: Knit.

Row 3: (K1 tbl) 0 (1, 1, 1) times, P4
(5, 5, 5), * P4, (K1 tbl) 3 times, P5,
rep from * to last 3 (5, 5, 5) sts, P3
(4, 4, 4), (K1 tbl) 0 (1, 1, 1) times.

Row 4: P0 (1, 1, 1), K3 (4, 4, 4),
* K5, P3, K4, rep from * to last 4 (6,
6, 6) sts, K4 (5, 5, 5), P0 (1, 1, 1).

Row 5: As 3rd row.

Row 6: As 4th row.

Row 7: (K1 tbl) 2 (4, 4, 4) times,
P2, * P1, (K1 tbl) 9 times, P2, rep
from * to last 3 (5, 5, 5) sts, P1, (K1
tbl) 2 (4, 4, 4) times.

Row 8: P2 (4, 4, 4), K1, * K2, P9,
K1, rep from * to last 4 (6, 6, 6) sts,
K2, P2 (4, 4, 4).

Row 9: As 7th row.

Row 10: As 8th row.

Row 11: As 3rd row.

Row 12: As 4th row.

Row 13: As 3rd row.

Row 14: As 4th row.

Row 15: Purl.

Row 16: Knit.

Rows 1 to 16 incl form patt, noting inc is not incl.

Cont in patt and working extra sts into patt, inc one st at each end of next row, then in every foll 10th (12th, 10th, 8th) row until there are 55 (57, 59, 57) sts, then in every foll 12th (14th, 12th, 10th) row until there are 57 (59, 61, 63) sts.

Cont in patt without further inc until Sleeve measures 50cm from beg, working last row on wrong side. **

Shape Top and Front Saddle

Row 1: Cast off 9 (10, 10, 10) sts, patt to end.

Row 2: Cast off 6 (7, 7, 7) sts, patt to end.

Rep last 2 rows once.

Row 5: Cast off 10 (9, 10, 11) sts, patt to end.

Row 6: Cast off 7 (6, 7, 8) sts, patt to end. 10 sts.

Work 6 (8, 10, 12) rows.

Dec one st at each end of next row, then in foll 12th row. 6 sts.

Work 7 (9, 11, 13) rows.

Cast off 3 sts at beg of next row.

Work 1 row.

Cast off rem 3 sts.

RIGHT SLEEVE

Work as given for Left Sleeve to **.

Shape Top and Front Saddle

Row 1: Cast off 6 (7, 7, 7) sts, patt to end.

Row 2: Cast off 9 (10, 10, 10) sts, patt to end.

Rep last 2 rows once.

Row 6: Cast off 7 (6, 7, 8) sts, patt to end.

Row 7: Cast off 10 (9, 10, 11) sts, patt to end. 10 sts.

Work 6 (8, 10, 12) rows.

Dec one st at each end of next row, then in foll 12th row. 6 sts.

Work 8 (10, 12, 14) rows.

Cast off 3 sts at beg of next row.

Work 1 row.

Cast off rem 3 sts.

NECKBAND

Join shoulders to saddles, noting that tops of saddles form part of neckline. With right side facing, using a set of 6.00mm double-pointed needles and beg at left shoulder seam, knit up 5 sts evenly along top of left saddle, knit up 14 (15, 17, 18) sts evenly along left side of front neck, knit across sts on front stitch-holder, knit up 14 (15, 17, 18) sts evenly along right side of

front neck, knit up 5 sts evenly along top of right saddle, then knit across sts from back stitch-holder. 88 (92, 96, 100) sts.

Round 1: * K2, P2, rep from * to end.

Rep last round 4 times

Cast off loosely in rib.

MAKING UP

Sew remainder of sleeves in position evenly between coloured threads. Join side and sleeve seams.

Patons

Ph: 1800 337 032

www.patonsyarns.com.au



Ronda Scarf

A novelty yarn with a ruffle edge.

YARN

1 skein Ronda

NEEDLES

5mm knitting needle

TENSION

Knit directly from the skein. Do not wind the skein into a ball.

MEASUREMENTS

Size: 120cm

STITCH GUIDE

Knit all sts and rows.

INSTRUCTIONS

Cast on 8sts (1sts in each 2nd hole) work garter st.

Note: when turning from one row to the next insert needle in the first hole instead of in the 2nd one.

When the skein is finished, cast off all sts.

Tech editor's note: I tie a small tight knot for added security in the end of my scarf after casting off; it tucks up into the end of the scarf and can not be seen.

The Wool Inn

Shop 14 NK Centre

450 High St, Penrith

Ph: 02 4732 2201

www.the-wool-inn.com.au



Cowl

By Patons

YARN

- 5 balls 50gm Patons Romance 8ply in colour 4172

NEEDLES AND TOOLS

- 4.50mm knitting needles
- cable needle
- wool sewing needle

MEASUREMENTS

Length: approx 31cm

Circumference: approx 75cm

SPECIAL ABBREVIATIONS

C6B = Slip next 3 sts onto a cable needle and leave at back of work, K3, then K3 from cable needle.

C6F = Slip next 3 sts onto a cable needle and leave at front of work, K3, then K3 from cable needle.

TENSION

21 sts by 28 rows to 10cm over stocking st using 4.50mm needles

WORKING PATTERN

COWL

Using 4.50mm needles, cast on 101 sts.

Beg Foundation rows

Row 1: RS – Sl 1 knitways, P1, (K1, P1) 4 times, K1, * P3, K13, P3, (K1, P1) 5 times, K1, rep from * to end.

Row 2: Sl 1 purlways, K1, (P1, K1) 4 times, P1, * K3, P13, K3, (P1, K1) 5 times, P1, rep from * to end.

Rep 1st and 2nd rows once. 4 rows in all.

Beg Main Patt

Row 1: RS – Sl 1 knitways, P1, (K1, P1) 4 times, K1, * P3, C6B, K1, C6F, P3, (K1, P1) 5 times, K1, rep from * to end.

Row 2: Sl 1 purlways, K1, (P1, K1) 4 times, P1, * K3, P13, K3, (P1, K1) 5 times, P1, rep from * to end.

Row 3: Sl 1 knitways, P1, (K1, P1) 4 times, K1, * P3, K13, P3, (K1, P1) 5 times, K1, rep from * to end.

Rep last 2 rows twice.

Row 8: As 2nd row.

Rep rows 1 to 8 incl once.

Row 17: Sl 1 knitways, P1, (K1, P1) 4 times, K1, * P3, C6F, K1, C6B, P3, (K1, P1) 5 times, K1, rep from * to end.

Row 18: Sl 1 purlways, K1, (P1, K1) 4 times, P1, * K3, P13, K3, (P1, K1) 5 times, P1, rep from * to end.

Row 19: Sl 1 knitways, P1, (K1, P1) 4 times, K1, * P3, K13, P3, (K1, P1) 5 times, K1, rep from * to end.

Rep last 2 rows twice.

Row 24: Sl 1 purlways, K1, (P1, K1)

4 times, P1, * K3, P13, K3, (P1, K1) 5 times, P1, rep from * to end.

Rep rows 17 to 24 incl once.

Last 32 rows form patt.

Cont in patt until work measures approx 75cm from beg, ending with a 32nd patt row. Cast off loosely in patt.

MAKING UP

Do not press. Join cast on and cast off edges together.

Patons Yarns

Ph: 1800 337 032

www.patonsyarns.com.au



Cable Sweater

Design by Wendy

YARN

- 11, 12, 14, 16 balls 50gm Wendy Norse Chunky in shade #2704

NEEDLES AND TOOLS

- 6.5mm knitting needles
- Cable needle
- Stitch Holders

MEASUREMENTS

To fit bust: 76-81, 86-91, 97-102, 107-112cm
Finished fit: 90, 101, 113, 124cm
Length: 62, 64, 66, 68cm
Sleeve length: 45, 46, 46, 47cm

SPECIAL ABBREVIATIONS

C4F – slip next 2 sts to cable needle and hold at front of work, k2, then k2 from cable needle

C4B – slip next 2 sts to cable needle and hold at back of work, k2, then k2 from cable needle

C8F – slip next 4 sts to cable needle and hold at front of work, k4, then k4 from cable needle

C8B – slip next 4 sts to cable needle and hold at back of work, k4, then k4 from cable needle

Cr3L – slip next 2 sts to cable needle and hold at front of work, p1, then k2 from cable needle

Cr3R – slip next st to cable needle and hold at back of work, k2, then p1 from cable needle

TENSION

14 sts by 20 rows over Reverse Stocking Stitch on 6.5mm needles to 10cm
Cable Panel A (18 sts) measures 9cm
Cable Panel B (17 sts) measures 8cm

GETTING STARTED

CABLE PANEL A (18 STS)

Row 1: WS - P2, [K2, P4] twice, K2, P2.

Row 2: RS - K2, [P2, C4F] twice, P2, K2.

Row 3: As row 1.

Row 4: [Cr3L, Cr3R] 3 times. ▶





◀ *Cable Sweater continued.*

Row 5: K1, [P4, K2] twice, P4, K1.

Row 6: P1, [C4B, P2] twice, C4B, P1.

Row 7: As row 5.

Row 8: [Cr3R, Cr3L] 3 times.

Rep these 8 rows for Cable Panel A.

CABLE PANEL B (17 STS)

Row 1 and every following WS row: P8, K1, P8.

Row 2: C8F, P1, C8B.

Row 4: K8, P1, K8.

Rows 6 & 8: As row 4.

Row 10: As row 2.

Rows 12, 14 & 16: As row 4.

Row 18: C8B, P1, C8F.

Rows 20, 22 & 24: As row 4.

Row 26: As row 18.

Rows 28, 30 & 32: As row 4.

Rep these 32 rows for Cable Panel B.

WORKING PATTERN

BACK & FRONT (BOTH ALIKE)

Using 6.5mm needles cast on 63 (71, 79, 87) sts.

Row 1: *K1, P1, rep from * to last st, K1.

Row 2: P1, *K1, P1, rep from * to end. Rep these 2 rows 3 times more.

Row 9: RS - P10 (14, 18, 22), *inc in next st, [K2, inc in next st] 4 times, * P3, inc in next st, [K1, inc in next st] 5 times, P to end, rep from * to * once more, P to end. 79 (87, 95, 103) sts.

Commence Pattern

Row 1: WS - K10 (14, 18, 22), work next 18 sts as 1st row of Cable Panel A, K3, work next 17 sts as 1st row of Cable Panel B, K3, work next 18 sts as 1st row of Cable Panel A, K to end.

Row 2: P10 (14, 18, 22), work next 18 sts as 2nd row of Cable Panel A, P3, work next 17 sts as 2nd row of Cable Panel B, P3, work next 18 sts as 2nd row of Cable Panel A, P to end.

These 2 rows set position of cable panels with reverse Stst between and at sides.

Continue straight until work measures 42 (43, 44, 45) cm, end with a WS row.

Shape Raglan Armholes

Keeping patt correct, cast off 3 sts, at beg of next 2 rows. 73 (81, 89, 97) sts.

Next Row: RS - P3, P2tog tbl, patt to last 5 sts, P2tog, P3.

Next Row: K3, K2tog, patt to last 5 sts, K2tog tbl, K3.

Rep last 2 rows 2 (4, 6, 8) times more. 61 sts.

Next Row: RS - P3, P2tog tbl, patt to last 5 sts, P2tog, P3.

Next Row: K4, patt to last 4 sts, K4. Rep last 2 rows 15 (14, 13, 12) times more, end with a WS row.

Break yarn and leave remaining 29 (31, 33, 35) sts on a st holder.

SLEEVES (BOTH ALIKE)

Using 6.5mm needles cast on 33 (35, 37, 39) sts.

Rib 8 rows as given for back.

Row 9: RS - P2 (3, 4, 5), * inc in next st, [K2, inc in next st] 4 times, * P3, rep from * to * once more, P to end. 43 (45, 47, 49) sts.

Commence Pattern

Row 1: WS - K2 (3, 4, 5), work next 18 sts as 1st row of Cable Panel A, K3, work next 18 sts as 1st row of Cable Panel A, K to end.

Row 2: P2 (3, 4, 5), work next 18 sts as 2nd row of Cable Panel A, P3, work next 18 sts as 2nd row of Cable Panel A, P to end.

These 2 rows set position of cable panels with reverse Stst between and at sides.

Continue as set for a further 18 rows, finishing with a RS row.

Row 30: WS - K2 (3, 4, 5), *K2tog, [K2, K2tog] 4 times, * K3, rep from * to * once more, K to end. 33 (35, 37, 39) sts.

Starting with a P row, work in reverse Stst, shaping sides by inc 1 st at each end of next and every following 6 (6, 6, 8)th row until there are 39 (39, 41, 57) sts.

1st, 2nd and 3rd sizes only

Inc 1 st at each end of every following 8th row until there are 51 (53, 55) sts.

All sizes

Continue straight until Sleeve measures 45 (46, 46, 47) cm, end with a WS row.

Shape Raglan

Cast off 3 sts at beg of next 2 rows. 45 (47, 49, 51) sts.

Working all raglan decreases in same way as given for raglan armhole decreases, dec 1 st at each end of next and 2 following 4th rows, then on every following alt row until 11 sts remain.

Work 1 row, finishing on a wrong side row.

Break yarn and leave remaining 11 sts on a st holder.

MAKING UP

With WS facing, pin out all pieces to measurements given. Press as instructions given on ball band. Join both front and right back raglan seams by top sewing.

NECK BORDER

With RS facing using 6.5mm needles, P11 sts from Left Sleeve st holder, work across 29 (31, 33, 35) sts on Front st holder as follows: P6 (7, 8, 9), patt 17 sts, P to end, P 11 sts from Right Sleeve st holder, then work across 29 (31, 33, 35) sts on Back st holder as follows: P6 (7, 8, 9), patt 17 sts, P to end. 80 (84, 88, 92) sts. K1, P1 rib for 5 (5, 6, 6) cm, end on a RS row.

Cast off.

Join left back raglan and neck border seam by top sewing, join side sleeve seams by top sewing.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturallyyarnsnz.com

Fashion Garter Stitch Hat

A great gift idea to make up over a weekend.

YARN

- 3 x balls 50gm Filoturo Di Croso
Zoro 100% Merino Wool

NEEDLES

- 8mm knitting needles
- 4.50mm knitting needles
- Wool sewing needle

TENSION

12sts by 22 rows over garter st using
2 strands to 10cm

MEASUREMENTS

Size: average size woman's head.

HAT

Using 4.50mm needles and 2 ends of
yarn together cast on 62sts

Row 1: K2, *P2, K2, rep from * to end.

Row 2: *P2, K2, rep from * to last
2sts, P2.

These 2 rows will now be referred to
as 2 x 2 rib.

Work 5 rows more in 2 x 2 rib.

Row 8: *P2, pick up loop between last
and next st and work into back of this
loop (this will now be referred to as
M1), P3, M1, rep from * to last 2sts,
P2. 86sts.

Change to 8.00mm needles and work
every row knit (garter st) until hat
measures 17cm ending on a RS row.

Next Row: Knit to end dec 1 st in
centre of row 85st.

Shape Crown

Row 1: K1, (K2tog, K5) 12 times.
73sts

Work 3 rows more without shaping.

Row 5: K1, (K2tog, K4) 12 times.
61sts

Work 3 rows more without shaping

Row 9: K1, (K2tog, K3) 12 times.
49sts

Work 3 rows more without shaping



Row 13: K1, (K2tog, K2) 12 times.
37sts

Work 3 rows more without shaping

Row 17: K1, (K2tog, K1) 12 times.
25sts

Row 18: Knit.

Row 19: K1, (K2tog) 12 times 13sts.

Row 20: K1, (K2tog) 6 times. 7sts.

Break off yarn, run through rem 7sts,

draw up and fasten off.
Making up Join Back seam with wool
needle and mattress seam.

The Wool Inn
Shop 14 NK Centre
450 High St, Penrith
Ph: 02 4732 2201
www.the-wool-inn.com.au

Men's Retro Cardigan

Design by Robin Melanson

YARN

- 10, 11, 12, 13, 14, 15 balls 50gm
Waikiki Prints in shade #457
- 9 buttons

NEEDLES AND TOOLS

- 3.25mm knitting needles
- 2.75mm knitting needles
- 2.75mm circular needle 60cm length
- Stitch holders

MEASUREMENTS

To fit: 86-91, 96-101, 104-109,
112-117, 122-127, 129-134cm
Finished Chest: 96.5, 105.5, 114.5,
123, 131.5, 140.5cm
Length of Back: 66, 66.5, 69, 70.5,
73, 74.5cm
Sleeve Length: 51cm

SPECIAL ABBREVIATIONS

ssk - slip next 2 sts knitwise, one at a time to righthand needle, then insert tip of left hand needle into fronts of these stitches from left to right and knit them together to decrease 1 stitch;

TENSION

28 sts by 36 rows over Stst on
3.25mm needles to 10cm

GETTING STARTED

Note: Use circular needle back and forth in rows.

STITCH PATTERN

Rib and Garter Pattern (multiple of 4 sts + 2)

Rows 1-3: Work in Stst.

Rows 4, 6, 8 & 10: RS K2, *p2, k2; rep from * to end.

Rows 5, 7 & 9: WS P2, *k2, p2; rep from * to end.

Rep Rows 1-10 the number of times specified in patt.

End with Rows 11-13: Work as Rows 1-3.

WORKING PATTERN

BACK

With 2.75mm straight needles, cast on 134 (146, 158, 170, 182, 194) sts.
Work Rows 1-10 of Rib and Garter Pattern twice, then work Rows 11-13 once. Piece measures approx 5cm.
Change to 3.25mm straight needles. Stst even until piece measures 40.5 (40.5, 42, 42, 43, 43) cm from beg, end with a WS row.

Shape Armholes

Cast off 8 (9, 10, 11, 13, 15) sts at beg of next 2 rows. 118 (128, 138, 148, 156, 164) sts.

Next Row: Dec Row - RS - K1, ssk, k to last 3 sts, k2tog, k1.

Rep Dec Row every other row

5 (7, 9, 10, 11, 12) more times, then every 4 rows 0 (0, 0, 1, 1, 1) times. 106 (112, 118, 124, 130, 136) sts.

Stst even until armhole measures 11.5 (12, 12, 13.5, 13.5, 14.5) cm, end with a RS row.

Change to 2.75mm straight needles.

Next Row: WS - P0 (1, 0, 1, 0, 1), work Row 1 of Rib and Garter patt to last 0 (1, 0, 1, 0, 1) st, p0 (1, 0, 1, 0, 1).

Cont as established through Row 10 of patt, keeping 0 (1, 0, 1, 0, 1) st each side in Stst.

Work Rows 11-13 of Patt.

Change to 3.25mm straight needles. Cont in Stst, work even until armhole measures 21.5 (22, 23.5, 25, 26, 27.5) cm, end with a WS row.

Shape Shoulders

Cast off 4 (4, 5, 5, 5) sts at beg of next 12 rows then 5 (7, 3, 5, 7, 9) sts at beg of next 2 rows. 48 (50, 52, 54, 56, 58) sts.
Cast off rem sts.

POCKET LININGS (MAKE 2)

With 3.25mm straight needles, cast on 43 (43, 43, 47, 47, 47) sts.

Stst until piece measures 2.5cm from beg.

Place sts on holder and set aside.

LEFT FRONT

With 2.75mm straight needles, cast on 66 (70, 78, 82, 90, 94) sts.

Work Rows 1-10 of Rib and Garter patt twice, then work Rows 11-13 once. Piece measures approx 5cm.
Change to 3.25mm straight needles and Stst.

Next Row: RS - K, dec 2 (0, 2, 0, 2, 0) sts evenly spaced. 64 (70, 76, 82, 88, 94) sts.

Work 7 more rows even (ending WS).

PLACE POCKET

Pocket Lining: Next Row: RS - K14 (18, 22, 24, 28, 32), place rem 50 (52, 54, 58, 60, 62) sts on a spare needle, k across 43 (43, 43, 47, 47, 47) sts from pocket lining. 57 (61, 65, 71, 75, 79) sts.

Work 45 more rows even, end with a WS row, and place sts on a holder.

Pocket Front: Return to held 50 (52, 54, 58, 60, 62) sts (on spare needle) and rejoin yarn ready to work a RS row.

Next Row: Dec Row - RS - K1, ssk, k to end. 49 (51, 53, 57, 59, 61) sts.

Rep Dec row every other row 22 more times. 27 (29, 31, 35, 37, 39) sts.
Work 1 row even (WS).

Join Pocket

Next Row: RS - K across first 37 (41, 45, 47, 51, 55) sts (Pocket Lining), then holding Pocket Front in front of Pocket Lining, k-tog 1 st from each needle 20 (20, 20, 24, 24, 24) times, k rem 7 (9, 11, 11, 13, 15) sts from Pocket Front. 64 (70, 76, 82, 88, 94) sts.

Cont in Stst until piece measures same as Back to armhole, end with a WS row.

Shape Armhole

Cast off 8 (9, 10, 11, 13, 15) sts at beg of next row (RS). 56 (61, 66, 71, 75, 79) sts.

Work 1 row even (WS).

Next Row: Dec Row – RS – K1, ssk, k to end.

Rep Dec Row every other row 5 (7, 9, 10, 11, 12) more times, then every 4 rows 0 (0, 0, 1, 1, 1) times. 50 (53, 56, 59, 62, 65) sts.

Stst even until armhole measures 11.5 (12, 12, 13.5, 13.5, 14.5) cm, end with a RS row.

Change to 2.75mm straight needles.

Work Rows 1-10 of Rib and Garter patt once. (Establish Rib on Row 4 (RS) as folls: K2, *p2, k2; rep from * to last 0 (3, 2, 1, 0, 3) sts, p0 (3, 2, 1, 0, 3).)

Work Rows 11-13 of Patt.

Change to 3.25mm straight needles.

Stst even until armhole measures 15 (16, 17, 17, 18.5, 19.5) cm, end with a RS row.

Shape Neck

Cast off 7 (8, 9, 9, 10, 11) sts at beg of next row (WS), then 2 sts at beg of foll 4 WS rows.

Dec 1 st at neck edge on next RS row, then every other row 5 (5, 5, 6, 6, 6) more times. 29 (31, 33, 35, 37, 39) sts.

Work even until armhole measures same as Back, end with a WS row.

Shape Shoulder

Cast off from shoulder edge 4 (4, 5, 5, 5, 5) sts 6 times then 5 (7, 3, 5, 7, 9) sts once. 0 sts rem.

RIGHT FRONT

With 2.75mm straight needles, cast on 66 (70, 78, 82, 90, 94) sts.

Work Rows 1-10 of Rib and Garter patt twice, then work Rows 11-13 once. Piece measures approx 5cm. Change to 3.25mm straight needles and Stst.

Next Row: RS – K, dec 2 (0, 2, 0, 2, 0) sts evenly spaced. 64 (70, 76, 82, 88, 94) sts.

Work 7 more rows even.





PLACE POCKET

Pocket Front: Next Row: Dec Row – RS – K47 (49, 51, 55, 57, 59), k2tog, k1, place rem 14 (18, 22, 24, 28, 32) sts on a spare needle. 49 (51, 53, 57, 59, 61) sts. Working over sts on main needle only, rep Dec Row every other row 22 more times. 27 (29, 31, 35, 37, 39) sts. Work 1 row even (WS). Place sts on a holder.

Pocket Lining: Return to held sts from front (on spare needle). With RS facing, k across 43 (43, 43, 47, 47, 47) sts from pocket lining, then k14 (18, 22, 24, 28, 32) held sts from front. 57 (61, 65, 71, 75, 79) sts.

Work 45 more rows even, end with a WS row. Join Pocket.

Next Row: RS – K across first 7 (9, 11, 11, 13, 15) sts from Pocket Front, then holding Pocket Front in front of Pocket Lining, k-tog 1 st from each needle 20 (20, 20, 24, 24, 24) times, k rem 37 (41, 45, 47, 51, 55) sts from Pocket Lining. 64 (70, 76, 82, 88, 94) sts. Cont in Stst until piece measures same as Back to armhole, end with a RS row.

Shape Armhole

Cast off 8 (9, 10, 11, 13, 15) sts at beg of next row (WS). 56 (61, 66, 71, 75, 79) sts.

Next Row: Dec Row – RS – K to last 3 sts, k2tog, k1.

Rep Dec Row every other row 5 (7, 9, 10, 11, 12) more times, then every 4 rows 0 (0, 0, 1, 1, 1) times. 50 (53, 56, 59, 62, 65) sts.

Stst even until armhole measures 11.5 (12, 12, 13.5, 13.5, 14.5) cm, end with a RS row.

Change to 2.75mm straight needles. Work Rows 1-10 of Rib and Garter patt once. (Establish Rib on Row 4 (RS) as folls: P0 (3, 2, 1, 0, 3), k2, "p2, k2; rep from * to end.) Work Rows 11-13 of Patt. Change to 3.25mm straight needles.

Stst even until armhole measures 15 (16, 17, 17, 18.5, 19.5) cm, end with a WS row.

Shape Neck

Cast off 7 (8, 9, 9, 10, 11) sts at beg of next row (RS), then 2 sts at beg of foll 4 RS rows.

Dec 1 st at neck edge on next RS row, then every other row 5 (5, 5, 6, 6, 6) more times. 29 (31, 33, 35, 37, 39) sts.

Work even until armhole measures same as Back, end with a RS row.

Shape Shoulder

Cast off from shoulder edge 4 (4, 5, 5, 5) sts 6 times then 5 (7, 3, 5, 7, 9) sts once. 0 sts rem.

SLEEVES

With 2.75mm straight needles, cast on 66 (66, 70, 70, 74, 74) sts. Work Rows 1-10 of Rib and Garter patt 3 times, then work Rows 11-13 once. Piece measures approx 7.5cm. Change to 3.25mm straight needles and Stst.

Next Row: RS – K; inc 10 (10, 10, 10, 12, 12) sts evenly spaced. 76 (76, 80, 80, 86, 86) sts. Work 5 rows even.

Next Row: Inc Row – RS – K2, M1R, k to last 2 sts, M1L, k2. Rep Inc Row every 10 (8, 8, 8, 8, 6)

rows 8 (16, 10, 4, 1, 14) more times, then every 8 (0, 6, 6, 6, 4) rows 6 (0, 8, 16, 20, 11) times. 106 (110, 118, 122, 130, 138) sts.

Cont even until piece measures approx 45.5cm, end with a RS row. Change to 2.75mm straight needles. Work Rows 1-10 of Rib and Garter patt once, then work Rows 11-13. Change to 3.25mm straight needles. Stst even until piece measures 51cm, end with a WS row.

Shape Cap

Cast off 8 (9, 10, 11, 13, 15) sts at beg of next 2 rows. 90 (92, 98, 100, 104, 108) sts.

Next Row: RS – Dec Row – K1, ssk, k to last 3 sts, k2tog, k1. Rep Dec Row every other row 14 (15, 17, 8, 9, 8) times, then every 4 rows 0 (0, 0, 1, 1, 3) times, then every other row 0 (0, 0, 8, 8, 7) times. 60 (60, 62, 64, 66, 70) sts.

Cast off 2 sts at beg of next 8 rows, then 3 sts at beg of next 4 rows, then 4 sts at beg of next 2 rows. 24 (24, 26, 28, 30, 34) sts.

Cast off rem sts.

MAKING UP

Block pieces to measurements.

POCKET EDGINGS

With 2.75mm straight needles and RS facing, pick up and k 35 sts along slanted edge of pocket.

Beg with WS, Gtst 3 rows.

Cast off.

Rep for other pocket.

Sew sides of Pocket Edgings to Fronts.

Sew side and bottom of Pocket Linings to inside of Fronts.

Sew shoulder seams.

COLLAR

With 2.75mm circ, RS facing and beg at Right Front neck edge, pick up and k 36 (37, 38, 41, 42, 43) sts up Right Front neck, 50 (52, 54, 56, 58, 60) sts along Back neck edge, and 36 (37, 38, 41, 42, 43) sts down Left Front neck. 122 (126, 130, 138, 142, 146) sts.

Do not join; work back and forth in rows.

Beg with WS, work Rows 1-10 of Rib

and Garter patt twice, then work Rows 11-13 once.
Cast off all sts loosely.

BUTTON BAND

With 2.75mm circ, RS of Right Front facing, and beg at hem edge, pick up and k 174 (174, 174, 174, 186, 186) sts evenly up Right Front edge, ending at top of collar.
Do not join; work back and forth in rows.
Beg with WS, work Rows 1-10 of Rib & Garter patt once.
Work Rows 11-13 once.
Cast off loosely.

BUTTONHOLE BAND

With 2.75mm circ, RS of Left Front facing, and beg at top of collar, pick up and k 174 (174, 174, 174, 186, 186) sts evenly down Left Front edge.

Do not join; work back and forth in rows.

Beg with WS, work Rows 1-5 of Rib and Garter patt.

Next Row: RS Row 6 of patt – Buttonhole row – Patt 3 sts, (cast off 4 sts, patt 16 (16, 16, 16, 18, 18) sts) 8 times, cast off 4 sts, patt last 7 (7, 7, 7, 3, 3) sts.

Next Row: WS – Patt and cast on 4 sts over each buttonhole gap.
Cont through Row 10 of patt.
Work Rows 11-13 of patt.
Cast off all sts loosely.

Sew side and sleeve seams.

Set in sleeves.

Sew on buttons to correspond to buttonholes.

Wentworth Distributors NZ Ltd
Free phone AU: 1800 150 542
Free phone NZ: 0800 738 998
www.naturallyyornsnz.com

Granny Shawl



Designed by Jodie Inglis
at Kaalund Yarns

YARN

- 4 balls 30gm Kaalund Yarns Silk Solstice 100% silk Pacific
- 1 ball 30gm Kaalund Yarns Silk Solstice 100% silk Grape
- 1 ball 30gm Koolund Yarns Silk Solstice 100% silk Berry
- 1 ball 30gm Koolund Yarns Silk Solstice 100% silk Amethyst
- Show! pin to hold gorment together when being worn

NEEDLES AND TOOLS

- 4mm crochet hook
- Wool sewing needle
- Pins

MEASUREMENTS

Length 46cm
Width 100cm

TENSION

Not critical

GETTING STARTED

Ch = chain
DC = double crochet
Sl st = Slip Stitch
Tr = Treble

This garment is crocheted in 100% silk. It should be laid flat.



WORKING PATTERN

Centre panel

Using 4mm crochet hook and pacific yarn ch 4 and sl st into the 1st ch to form a circle.

Row 1: 3 ch, 2 tr into the circle, 2 ch *3 tr, 2 ch* repeat from * to * twice (4 groups of tr), sl st into top of 3 ch.

Row 2: sl st across to 1st 2 ch space of previous row, 3 ch, 2 tr, 2 ch, 3 tr (1st corner), 2 ch, *3 tr, 2 ch, 3 tr into next 2 ch space, 2 ch* repeat from * to * twice (4 corners have been completed), sl st into top of 3 ch.

Row 3: sl st across to 1st 2 ch space of previous row, 3 ch, 2 tr, 2 ch, 3 tr (1st corner), 2 ch, *3 tr into next 2 ch space, 2 ch, 3 tr, 2 ch, 3 tr into next 2 ch space, 2 ch* repeat from * to * twice (4 corners have been completed), sl st into top of 3 ch. Repeat row 3 until the completion of row 19, adding an extra (3 tr into next 2 ch space, 2 ch) per side, per row. End off.

Row 20: Using pacific yarn and right side of crocheting facing, work 3 ch, 2 tr into the 1st 2 ch space of top right hand corner of square, 2 ch, *3 tr, 2 ch into next 2 ch space* repeat from * to * across top of square, 1 tr into 2 ch space of corner, turn.

Row 21: 3 ch, 2 tr, 2 ch, into 1st 2 ch space of previous row, *3 tr, 2 ch into next 2 ch space* repeat from * to * until last 2 ch space, 3 tr into last 2 ch space, turn.

Row 22: sl st across top of 2 tr, sl st into 2 ch space, 3 ch, 2 tr, 2 ch, into 1st 2 ch space of previous row, *3 tr, 2 ch, into next 2 ch space* repeat from * to * until last 2 ch space, 2 ch, 1 tr into top of 3rd ch of previous row, 3 ch, turn.

Repeat rows 21 and 22 until there is no 2 ch space left, forming a triangle (top edge of garment is always straight, the lower edge is reducing to form a triangle). Turn square over and keeping the straight edge on the

left hand side (working on the wrong side of crocheting), repeat from row 20 as for other side ensuring that straight edge remains straight along top of garment. For lower triangle and with right side of garment facing using colour pacific,

Row 1: 3 ch, 2 tr into 2 ch space after the corner, *3 tr, 2 ch, into next 2 ch space* repeat from * to * until last 2 ch space, turn.

Row 2: sl st across top of 2 tr, sl st into 2 ch space, repeat row 1 x 10 times (11 rows in total).

SQUARES FOR BORDER (MAKE 18)

Using colour berry, ch 4, sl st into 1st ch to form a circle.

Row 1: 3 ch, 2 tr, 2 ch into circle *3 tr, 2 ch* repeat from * to * twice (4 sets of tr) sl st into 3rd ch.

Row 2: sl st across to 2 ch space, change colour to amethyst, 3 ch, 2 tr, 2 ch, 3 tr into 2 ch space of previous row, 2 ch, *3 tr, 2 ch, 3 tr, 2 ch* into next 2 ch space, repeat from * to * twice, sl st into top of 3 ch of previous row.

Row 3: sl st across to 2 ch space, change colour to grape, 3 ch, 2 tr, 2 ch, 3 tr, 2 ch into 2 ch space of previous row *3 tr, 2 ch into next 2 ch space, 3 tr, 2 ch, 3 tr, 2 ch into next 2 ch space* repeat from * to * twice, sl st into top of 3 ch of previous row. End off.


MAKING UP

Placing RS together of 2 squares for the border and using colour grape, dc into corner ch of both squares, dc into top of next 3 tr, 2 dc into next 2 ch space, repeat across top of square and dc into 2 ch space of corners. Join all border squares the same way. Placing the top of 1 border square at right hand point of triangle, pin together and then stitch neatly using a ladder stitch. On the left side there will be 1 square that extends over the edge of the triangle. Securely sew in all ends.

Kaalund Yarns
 Shop 5, 216 Shaw Road
 Wavell Heights Qld 4012
www.kaalundyarns.com.au


Basic Instructions Diagrams

CAST ON



Cast on. Create a slip knot on yarn and place on left (holding) needle. Using right (working) needle place between slip knot and pass yarn around needle and form a loop pulling this loop through with working needle and place on holding needle. This will place 2 stitches now on left holding needle. Repeat using stitch just created to form next stitch.

CAST OFF




Cast off. Knit two stitches Pick up the first stitch knitted and lift over second stitch knitted and off working needle between the needles.

KNIT




Knit: K. Push the needle through the middle of the first stitch, pass the yarn around under the left and over to the right. Pull the loop through with the working needle. Slip the stitch off holding needle.

PURL



Purl: P. Holding yarn at the front push the needle through the first stitch. Pass the yarn around under the needle and back to form a loop. Pull the loop through, slipping the stitch off the holding needle and onto the working needle.

KNITTING WITH TRIANA YARN



Step 1: Spread out the tape



Step 2: Insert the needle in a hole in the mesh of the tape cast on the sts with one st in each hole of the mesh



Step 3: Continue to spread out the tape as you need for each hole insert needle in st always work in garter st.

KNITTING WITH ONDAS YARN



Step 1: unfold the ribbon



Step 2: insert the needle through the top edge of the ribbon cast on the stitches on the needles, leaving a space between each stitch of approx 2.5cm



Step 4: insert the needle in the stitch unfold the ribbon and finish the stitch work always in garter stitch.



CHAIN

Chain: ch. To start make a slip knot on hook. Pass the yarn over and draw it through the slip knot loop, continue passing yarn over and drawing through hook.

SLIP STITCH

Slip stitch: sl s. Insert the hook in stitch pass the yarn over and draw loop through stitch.



DOUBLE CROCHET



Double crochet: dc. – known in US as single crochet or sc: single crochet. Insert the hook in stitch pass yarn over and pull a loop through, pass the yarn over the hook and draw through both loops on the hook.

TREBLE CROCHET



Treble crochet: tr. – known in US as double crochet. Pass yarn over hook, insert hook into top two loops of stitch. Pass yarn over hook and pull a loop through stitch, (3 loops on hook) pass the yarn over hook and draw through the first 2 loops on hook, pass yarn over hook and again draw it through remaining 2 loops.

HALF TREBLE CROCHET



Half treble crochet: htr. – known in US as half double crochet. Pass yarn over hook, insert hook into top two loops of stitch, the same as in treble crochet pass yarn over and pull a loop through stitch, creating 3 loop on hook, pass yarn over hook and draw through all loops on the hook.

ABBREVIATIONS FOR BOTH KNITTING AND CROCHET PATTERNS:

alt:	alternate
beg:	beginning
ch:	chain
cir:	circular
cbn:	cable needle
cm:	centimetres
col:	colour
cont:	continue
dc:	double crochet – known in US as sc : single crochet
dec:	decrease
fol:	following
gtst:	garter stitch – knit every row
htr:	half treble crochet – known in US as half double crochet
inc:	increase
K:	knit
KB1:	knit into the back of the stitch
Kibf:	knit into front and back of stitch
K2tog:	knit 2 together
M1:	make 1 by starting knit and looping onto working needle
P:	purl
Pibf:	purl into front and back of stitch
psso:	pass slip stitch over
rem:	remaining
rs:	right side
sc:	single crochet
st:	stitch or stitches
ss:	stocking stitch knit right side row purl wrong side row
ssk:	slip slip knit - slip next 2 stitches to right needle, place left needle into the front of stitches and knit together.
sssk:	slip slip knit - slip next 3 stitches to right needle, place left needle into the front of stitches and knit together.
tb:	through back
tr:	treble crochet – known in US as double crochet
tog:	together
ws:	wrong side
yb:	yarn back
yf:	yarn forward
YO:	yarn over needle